

## SECTION 1. IDENTIFICATION

Product Name AAP AHS CONDITIONER YELLOW  
Material number V23024

### Recommended use of the chemical and restrictions on use

Recommended use Vehicle care – carwash detergent

Australian Distributor Velocity Vehicle Care Pty Ltd  
10 Holmwood Rd, Tottenham, VIC, 3012  
Ph: 1300 990 074  
Fax: 03 8669 4179  
Email: [orders@velocityvehiclecare.com](mailto:orders@velocityvehiclecare.com)  
**Australia: 1800 127 406**

NZ Distributor Velocity Vehicle Care NZ Ltd Level 4  
3 London St, Hamilton, 3204  
Phone: 0800 483 562 (0800 4 VELOC)  
Fax: 07 974 9540  
Email: [orders@velocityvehiclecare.com](mailto:orders@velocityvehiclecare.com)  
**New Zealand: 0800 243 622**

Emergency Number

Overseas Supplier Zep Inc

## SECTION 2. HAZARDS IDENTIFICATION

### Dangerous Goods Classification

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code 7th ed.) for transport by Road and Rail.

Classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.

### GHS Classification

Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) 7th ed.

Skin corrosion	Category 1B
Serious eye damage	Category 1
Skin sensitiser	Category 1
Respiratory sensitiser	Category 1

### GHS label elements

### Hazard pictograms



### Signal Word

**DANGER**

Hazard statements

**H314 Causes severe skin burns and eye damage.**  
**H317 May cause an allergic skin reaction.**  
**H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.**

Precautionary statements

**Prevention**

P260 Do not breathe mists.

P264 Wash exposed skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, protective clothing, eye protection & face protection.

P284 In case of inadequate ventilation wear respiratory protection.

**Response**

P301 + P330 + P331 **IF SWALLOWED:** Rinse mouth. Do NOT induce vomiting.

P310 Immediately call a doctor

P305 + P351 + P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303 + P361 + P353 **IF ON SKIN (or hair):** Take off immediately all contaminated clothing. Rinse skin with shower.

P304 + P340 **IF INHALED:** Remove person to fresh air and keep comfortable for breathing.

P342 + P311 If experiencing respiratory symptoms: Call a doctor.

P363 Wash contaminated clothing before reuse.

**Storage**

P405 Store locked up.

**Disposal**

P501 Dispose of contents & container in accordance with local, regional & national Regulations.



**SECTION 5. FIREFIGHTING MEASURES**

<b>Suitable extinguishing media</b>	Dry chemical Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Water spray
<b>Unsuitable extinguishing media</b>	Do not use high volume water jets as an extinguisher, as this will spread the fire.
<b>Specific hazards during firefighting</b>	Not flammable or combustible. May produce toxic fumes.
<b>Hazardous combustion products</b>	Decomposition products may include the following materials: Carbon dioxide (CO <sub>2</sub> ) Carbon monoxide Smoke Sulfur oxides Nitrogen oxides (NO <sub>x</sub> )
<b>Special protective equipment for firefighters</b>	Firefighters are to wear self-contained breathing apparatus if in risk of exposure to fumes or products of combustion.
<b>Specific extinguishing methods</b>	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. In the event of fire and/or explosion do not breathe fumes. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

<b>Personal precautions, protective equipment and emergency procedures</b>	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit, they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in Sections 7 and 8.
<b>Environmental precautions</b>	Do not allow contact with soil. Prevent runoff to waterways, drains, stormwater or sewer.
<b>Methods and materials for containment and cleaning up</b>	Stop leak if safe to do so. Contain spillage, neutralise with chalk or a weak alkali solution and then collect with non-combustible absorbent material e.g., sand, earth, diatomaceous earth, vermiculite, and place in container for disposal according to local / national regulations (see Section 13). Flush away traces with water. For large spills (>5L), dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

**SECTION 7. HANDLING AND STORAGE**

<b>Advice on safe handling</b>	Avoid formation of aerosols. Do not breathe vapours or mists. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
<b>Conditions for safe storage</b>	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Keep away from oxidizing agents and strongly acid or alkaline materials.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
(2-Methoxy methylethoxy)propanol (Mixture of isomers) aka Dipropylene glycol methyl ether	34590-94-8	TWA	50 ppm 308 mg/m <sup>3</sup>	SWA
		TWA	100 ppm 606 mg/m <sup>3</sup>	NZ WES
		STEL	150 ppm 909 mg/m <sup>3</sup>	NZ WES
Ethanol	64-17-5	TWA	1000 ppm 1880 mg/m <sup>3</sup>	SWA
		TWA	1000 ppm 1880 mg/m <sup>3</sup>	NZ WES
Sulfuric acid (component of benzenesulfonic acid, C10-16-alkyl derivs)	7664-93-9	TWA	1 mg/m <sup>3</sup>	SWA
		STEL	3 mg/m <sup>3</sup>	SWA
		TWA	1 mg/m <sup>3</sup>	NZ WES
Propane-2-diol	57-55-6	TWA	150 ppm 474 mg/m <sup>3</sup>	SWA NZ WES
		TWA	3 ppm 7.5 mg/m <sup>3</sup>	SWA NZ WES
2-aminoethanol	141-43-5	TWA	3 ppm 7.5 mg/m <sup>3</sup>	SWA NZ WES
		STEL	6 ppm 15 mg/m <sup>3</sup>	SWA NZ WES

**Biological occupational  
exposure limits  
Engineering measures**

None allocated

Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

**Personal protective  
equipment**

**Respiratory protection**

Avoid breathing mists or sprays. If working in a poorly ventilated area and exposure limits may be exceeded, wear a respirator with ABEK-P2 filter to protect against organic vapours and acidic mists..

**Hand protection**

Wear chemical resistant gloves such as nitrile, neoprene, natural rubber and PVC.

**Eye protection**

Tightly fitting safety goggles.

Wear face-shield and protective suit for abnormal processing problems.

**Skin protection**

Wear protective clothing and footwear.

**Hygiene measures**

Handle in accordance with good industrial hygiene and safety practices. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable wash facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

	<b>Product</b>
Appearance	liquid
Colour	orange
Odour	slight
Odour threshold	No data available
pH	<1.1
Melting point/freezing point	No data available
Boiling point	> 100 °C
Flash point	> 100 °C
Evaporation rate	no data
Upper explosion limit	no data
Lower explosion limit	no data
Vapour pressure	no data
Relative vapour density	no data
Density	1.045 - 1.055 g/cm <sup>3</sup>
Water solubility	Soluble
Solubility in other solvents	no data
Partition coefficient: n-octanol/water	no data
Auto-ignition temperature	no data
Thermal decomposition	no data
Viscosity, kinematic	

## **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No decomposition if stored and applied as directed.
Conditions to avoid	Avoid excessive heat and direct sunlight.
Incompatible materials	Oxidising agents
Hazardous decomposition products	Decomposition products may include the following materials: Sulfur dioxide Carbon dioxide (CO <sub>2</sub> ) Carbon monoxide Nitrogen oxides Metal oxides

**SECTION 11. TOXICOLOGICAL INFORMATION**

**Potential Health Effects**

<b>Information on possible routes of exposure</b>	Possible workplace exposure routes are: inhalation, skin, eyes
<b>Acute symptoms related to exposure</b>	
Eye	The material can produce chemical burns to the eye and damage to the cornea following direct contact Vapours or mists may be extremely irritating. Symptoms may include burning, watering of the eye, cloudiness, pain, or redness.
Skin	The material can produce chemical burns following direct contact with the skin. Contact can also cause skin redness and pain, as well as a rash. Cracking, scaling and blistering can occur.
Inhalation	The material can cause respiratory irritation. Inhalation of aerosols (mists, fumes) can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. There may be dizziness, headache, nausea and weakness.
Ingestion	The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion. Ingestion may produce diarrhoea, bloated stomach, and occasional vomiting.
Acute oral toxicity	Acute toxicity estimate : 2,934 mg/kg Method: Calculation method
Acute inhalation toxicity	Acute toxicity estimate : > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Skin corrosion/irritation	Extremely corrosive and destructive to tissue.
Serious eye damage/eye irritation	May cause irreversible eye damage.
Respiratory or skin sensitisation	May cause respiratory or skin sensitisation
Germ cell mutagenicity	no data available
Carcinogenicity	no data available
Reproductive toxicity	no data available
STOT - single exposure	no data available
STOT - repeated exposure	no data available
Aspiration toxicity	no data available
<b>Components (Ingredients)</b>	
Acute oral toxicity	Ethanol LD50 Rat: 7,060 mg/kg Citric acid LD50 I Rat: 5,400 mg/kg 2-aminoethanol LD50 Rat: 1,515 mg/kg LD50 Mouse: 700 mg/kg

Version 2.0

**Safety Data Sheet**  
**AAP AHS CONDITIONER YELLOW**

Revised 24 May 2021

Acute inhalation toxicity	Ethanol LC50 Rat: 124.7 mg/l Exposure time: 4 h 2-aminoethanol LC50 Mouse: > 1.21 mg/l
Acute dermal toxicity	Citric acid LD50 Rabbit: > 2,000 mg/kg
Skin corrosion/irritation	no data available
Serious eye damage/eye irritation	no data available
Respiratory or skin sensitisation	no data available
Germ cell mutagenicity	no data available
Carcinogenicity	no data available
Reproductive toxicity	no data available
STOT - repeated exposure	no data available

**SECTION 12. ECOLOGICAL INFORMATION**

<b>Ecotoxicity</b>	No data
<b>Toxicity to fish</b>	no data available
<b>Toxicity to daphnia and other aquatic invertebrates</b>	no data available
<b>Toxicity to algae</b>	no data available
<b>Components (Ingredients)</b>	
<b>Toxicity to fish</b>	Benzenesulfonic acid, C10-16-alkyl derivs EC50 1-<10mg/L
<b>Persistence and degradability</b>	No data on product. Organic components are biodegradable.
<b>Bioaccumulative potential</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Mobility in soil</b>	Soluble in water.

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues	Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility. Where local regulations allow, dilute pH-adjusted wastes may be sent to sewer.
Contaminated packaging	Empty remaining contents. Containers must remain labelled until all traces and residues have been removed. Dispose of as unused product. Do not re-use empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.



## **SECTION 14. TRANSPORT INFORMATION**

### **Road and Rail Transport**

Classified as **Dangerous Goods** by the criteria of the Australian Dangerous Goods Code (ADG Code 7<sup>th</sup> ed.) for Transport by Road and Rail; Classified as **Dangerous Goods** according to NZS 5433:2012 Transport of Dangerous Goods on Land.

### **Land transport (ADG)**

UN number	UN 2586
Shipping name	ALKYLSULPHONIC ACIDS, LIQUID with not more than 5% free sulfuric acid
Class	8
Packing group	III
Hazchem Code	2X

### **Marine Transport**

Classified as **Dangerous Goods** by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

### **Marine transport (IMDG/IMO)**

UN number	UN 2586
Shipping name	ALKYLSULPHONIC ACIDS, LIQUID with not more than 5% free sulfuric acid
Class	8
Packing group	III
Marine pollutant	No
EMS Code	F-A, S-B

### **Air Transport**

Classified as **Dangerous Goods** by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

### **Air transport (IATA)**

UN number	UN 2586
Shipping name	ALKYLSULPHONIC ACIDS, LIQUID with not more than 5% free sulfuric acid
Class	8
Packing group	III

## **SECTION 15. REGULATORY INFORMATION**

AICS	All substances listed
Poisons Schedule	Not scheduled
NZ Approval Code	Cleaning Products (Corrosive) Group Standard 2020 The HSNO Approval Number is HSR002526
United States TSCA Inventory	On TSCA Inventory
Canadian Domestic Substances List (DSL)	This product contains the following components listed on the Canadian NDSL. All other components are on the Canadian DSL.

**SECTION 16. OTHER INFORMATION**

<b>AICS</b>	<b>Australian Inventory of Chemical Substances</b>
<b>SWA</b>	<b>Safe Work Australia</b>
<b>NZ</b>	<b>New Zealand</b>
<b>IARC</b>	<b>International Agency for Research on Cancer</b>
<b>WES</b>	<b>Workplace Exposure Standards</b>
<b>GHS</b>	<b>Globally Harmonised System of Classification and Labelling of Chemicals</b>
<b>HSNO</b>	<b>Hazardous Substances and New Organisms</b>
<b>EMS</b>	<b>Emergency Spill Procedures</b>
<b>STOT</b>	<b>Specific Target Organ Toxicity</b>
<b>TWA</b>	<b>Time Weighted Average</b>
<b>STEL</b>	<b>Short-Term Exposure Limit</b>
<b>CAS</b>	<b>Chemical Abstracts Service</b>
<b>DNEL</b>	<b>Derived No Effect Level</b>
<b>TSCA</b>	<b>Toxic Substances Control Act</b>
<b>DSL</b>	<b>Domestic Substances List</b>
<b>NDSL</b>	<b>Non-Domestic Substances List</b>
<b>AU OEL</b>	<b>Australian Occupational Exposure Limit</b>

Version:	2.0
Revision Date:	24 May 2021
Print Date:	31 May 2021

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organisation supporting this manufacturer, supplier or distributor.