

AAP AHS Polish Yellow CS 4x1 Gl

# **SECTION 1. IDENTIFICATION**

Product Name AAP AHS Polish Yellow\_CS 4 x 1 GI

Product Number V29624

Recommended use Vehicle Care

Restrictions on use Industrial and commercial use only

Australian Distributor Velocity Vehicle Care Pty Ltd

10 Holmwood Rd, Tottenham, VIC, 3012

Ph: 1300 990 074 Fax: 03 8669 4179

Email: orders@velocityvehiclecare.com

Emergency Number Australia: 1800 127 406

NZ Distributor Velocity Vehicle Care NZ Ltd Level 4

3 London St, Hamilton, 3204

Phone: 0800 483 562 (0800 4 VELOC)

Fax: 07 974 9540

Email: orders@velocityvehiclecare.com

Emergency Number New Zealand: 0800 243 622

### **SECTION 2. HAZARDS IDENTIFICATION**

# **Dangerous Goods Classification**

NOT CLASSIFIED as Dangerous goods for transport by road or rail per Australian Dangerous Goods Code 7th ed. and NZS 5433:2020 Transport of Dangerous Goods on Land. See Section 14 for further details.

### **GHS Classification**

Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) 7th ed.

Serious Eye Damage Category 1
Skin Sensitiser Category 1
Respiratory Sensitiser Category 1
Skin Corrosion/Irritation Category 2

**GHS** label elements

Hazard pictograms





Signal Word DANGER



# **Safety Data Sheet**

AAP AHS Polish Yellow CS 4x1 Gl

Hazard statements

H318 Causes serious eye damage

H317 May cause an allergic skin reaction

H334 May cause allergy or asthma symptoms or breathing difficulties if

Revised 15 Jul 2024

inhaled

**H315 Causes skin irritation** 

Precautionary statements

Prevention

P261

Avoid breathing mists or sprays

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P272 Contaminated work clothing should not be allowed out of the workplace

P280 Wear protective gloves, eye, and face protection

P284 In case of inadequate ventilation, wear respiratory protection

### Response

P302 + P352

IF ON SKIN: Wash with plenty of water

P332 + P313

If skin irritation or rash occurs: Get medical attention

P362 + P364

Take off contaminated clothing and wash it before reuse

P304 + P340

**IF INHALED**: Remove person to fresh air and keep comfortable for breathing.

P342 + P311 If experiencing respiratory symptoms, Call a doctor or medical centre.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a doctor or medical centre.

# Disposal

P501 Dispose of contents and container in accordance with local, regional and national regulations.



AAP AHS Polish Yellow CS 4x1 Gl

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration [%]
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	61789-40-0	>= 20 - < 30
citric acid	77-92-9	>= 1- < 3
sodium N-(2-carboxyethyl)-N-(2-ethylhexyl)-beta-alaninate	94441-92-6	>= 1 - < 3
benzaldehyde	100-52-7	>= 1 - < 3
glycerol	56-81-5	>= 1 - < 3
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

### **SECTION 4. FIRST AID MEASURES**

General advice Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled Move victim to fresh air. If unconscious place in recovery position and seek

medical advice. Call a doctor after significant exposure or if symptoms persist.

In case of skin contact If on skin, rinse well with water.

If on clothes, remove clothes. Wash clothes thoroughly before re-use.

If skin irritation develops, call a doctor.

In case of eye contact Small amounts splashed into eyes can cause irreversible tissue damage and

blindness. Rinse immediately with plenty of room temperature water, also under the eyelids, for at least 15 minutes. Continue rinsing eyes during transport to

hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Rinse mouth with water. Do NOT induce vomiting. Never give anything by

mouth to an unconscious person. Seek immediate medical attention.

Protection of first aiders 
If potential for exposure exists refer to Section 8 for specific personal protective

equipment.

**Notes to physician** Treat symptomatically. Symptoms may be delayed.

**Most important** Effects can be immediate and delayed.

**symptoms and effects, both acute and delayed**Symptoms may include blistering, burns, redness/irritation, and pain.
Effects are dependent on exposure (dose, concentration, contact time).

Review section 2 of SDS to see all potential hazards.



**Safety Data Sheet** Revised 15 Jul 2024 Version 4.2

AAP AHS Polish Yellow CS 4x1 Gl

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing

media

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards during

firefighting

During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or

irritating.

**Hazardous combustion** 

products

Carbon dioxide (CO2) Carbon monoxide

Smoke

Special protective

equipment for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing

methods

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid contact with skin and eyes. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions** 

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains, inform

respective authorities

Methods and materials for containment and cleaning

up

Stop leak if safe to do so. Contain spillage, and then collect with

non-combustible absorbent material e.g., sand, earth.

diatomaceous earth, vermiculite, and place in container for disposal according to local / national regulations (see Section 13) . Flush away traces with water. For large spills (>5L), dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Collect spilled material in suitable labelled containers for

disposal.

# SECTION 7. HANDLING AND STORAGE

Advice on safe handling Avoid formation of aerosols and mists. Do not breathe mists or

sprays. Use with adequate ventilation. Avoid contact with skin and

eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this product is being

used.

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated

place. Observe label precautions.

Materials to avoid Oxidising agents



# **Safety Data Sheet**

Revised 15 Jul 2024

AAP AHS Polish Yellow\_CS 4x1 Gl

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerol as glycerin mist	56-81-5	TWA	10 mg/m <sup>3</sup>	SWA / NZ WES

Biological occupation	nal exposure limits					
Component	CAS-No.	Control	Biological	Sampling time	Permissible	Basis
		parameters	specimen		concentration	
None allocated						

**Engineering measures** Effective ventilation in all processing areas.

Personal protective

equipment

**Respiratory protection** In the case of mist or spray formation use a respirator with an

approved organic filter.

**Hand protection** Wear rubber gloves or other chemical resistant gloves e.g. nitrile,

neoprene, natural rubber or PVC.

**Eye protection** Safety glasses with side shields or chemical goggles.

**Skin protection** Wear protective clothing and footwear.

**Hygiene measures** Eye wash bottle or station.

Handle in accordance with good industrial hygiene and safety practices. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable wash facilities for quick drenching or flushing of

the eyes and body in case of contact or splash hazard.



# **Safety Data Sheet**

Revised 15 Jul 2024

AAP AHS Polish Yellow\_CS 4x1 Gl

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Product** 

Appearance liquid

Colour dark orange
Odour characteristic

Odour threshold no data pH 3-5.5 Melting point/freezing point no data Boiling point  $100^{\circ}$ C Flash point  $> 100^{\circ}$ C

Evaporation rate no data
Upper explosion limit no data

Lower explosion limit no data

Vapour pressure no data
Relative vapour density no data
Relative density no data
Water solubility soluble

Solubility in other solvents no data

Partition coefficient: n-

octanol/water

no data

Auto-ignition temperature no data
Thermal decomposition no data

Viscosity, kinematic no data

### **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Extremes of temperature and direct sunlight

Incompatible materials Oxidising agents.

Hazardous decomposition

products

Combustion by-products may include the following materials:

carbon oxides



# Safety Data Sheet

Revised 15 Jul 2024

AAP AHS Polish Yellow CS 4x1 Gl

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Potential Health Effects**

Information on likely routes of exposure

Possible workplace exposure routes are:

Inhalation Eve contact

Skin contact

Early onset symptoms related to exposure (acute symptoms)

Risk of serious eye damage. Symptoms may include burning, redness, Eye

swelling, stinging, tearing and pain. Permanent tissue damage may occur

if first aid is not obtained immediately.

Skin Causes skin irritation. Symptoms may include itching, redness, irritation

Inhalation Inhalation of vapours or mists may produce respiratory irritation.

Symptoms may include coughing/sneezing, itchy or sore throat, runny

nose, shortness of breath.

Causes serious eye damage

May cause nausea, vomiting, diarrhea. Ingestion

**Delayed health effects** from exposure Skin and inhalation

**Toxicological** Information

May cause skin or respiratory sensitisation after repeated or prolonged exposure. Symptoms may include skin rashes, dermatitis, rhinitis,

sneezing, shortness of breath, wheezing.

Estimate: > 5,000 mg/kg Acute oral toxicity

Method: Calculation method Estimate: >5000 mg/kg Acute dermal toxicity Method: Calculation method

Causes skin irritation Skin corrosion/irritation

Serious eye damage/eye

irritation

Respiratory or skin

sensitisation

May cause respiratory or skin sensitisation

no data available Germ cell mutagenicity

Carcinogenicity no data available

no data available Reproductive toxicity

STOT - single exposure no data available

STOT - repeated exposure no data available

Aspiration toxicity no data available



AAP AHS Polish Yellow CS 4x1 GI

Components (Ingredients)

Acute oral toxicity citric acid: LD50 Rat: 5,400 mg/kg

Alcohols, C9-11, ethoxylated: LD50 Rat: 1,400 mg/kg

Acute inhalation toxicity no data

Acute dermal toxicity citric acid: LD50 Rabbit: > 2,000 mg/kg

1-Propanaminium, 3-amino-N-(carboxymethyl)-

Skin corrosion/irritation N,N-dimethyl-, N-coco acyl derivs., hydroxides,

inner salts: irritating Citric acid: Irritating

1-Propanaminium, 3-amino-N-(carboxymethyl)-Serious eye damage/eye N,N-dimethyl-, N-coco acyl derivs., hydroxides,

irritation inner salts: irritating

Alcohols, C9-11, ethoxylated: serious eye damage

Citric acid: Irritating

Respiratory or skin Benzaldehyde: May cause sensitisation by inhalation or skin contact sensitisation

Germ cell mutagenicity No component of this product, present at levels greater than or

equal to 0.1%, is identified as probable, possible or confirmed

human mutagen

Carcinogenicity No component of this product, present at levels greater than or

equal to 0.1%, is identified as probable, possible or confirmed

human carcinogen by IARC.

Reproductive toxicity

No component of this product, present at levels greater than or

equal to 0.1%, is identified as probable, possible or confirmed

reproductive toxin.

STOT – single/repeated

exposure

Citric acid (single exposure): May cause respiratory irritation



AAP AHS Polish Yellow CS 4x1 GI

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** This product has not been tested.

**Toxicity to fish** no data available

Toxicity to daphnia and

other aquatic invertebrates

no data available

**Toxicity to algae** no data available

**Components (Ingredients)** 

1-Propanaminium, 3-amino-N-(carboxymethyl)-

**Toxicity to fish** N,N-dimethyl-, N-coco acyl derivs., hydroxides,

inner salts: Considered non-toxic short term (acute), classified as aquatic

chronic category 3 for long term toxicity.

**Toxicity to daphnia** 1-Propanaminium, 3-amino-N-(carboxymethyl)-

N,N-dimethyl-, N-coco acyl derivs., hydroxides,

inner salts: considered non-toxic acute & chronic aquatic toxicity.

**Toxicity to algae** 1-Propanaminium, 3-amino-N-(carboxymethyl)-

N,N-dimethyl-, N-coco acyl derivs., hydroxides,

inner salts: considered non-toxic acute aquatic toxicity The organic components are readily biodegradable

Persistence and

degradability

**Bioaccumulative potential** 1-Propanaminium, 3-amino-N-(carboxymethyl)-

N,N-dimethyl-, N-coco acyl derivs., hydroxides,

inner salts: considered to be non bioaccumulative in nature.

Partition coefficient: n-

octanol/water

Mobility in soil

Benzaldehyde: log Pow: 1.5 Glycerol: log Pow: -1.76

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

### **Disposal methods**

Waste product and residues Do not dispose of waste product or residues to sewer. Dispose of in

accordance with local regulations.

Contaminated packaging Dispose of as unused product. Containers should remain labelled until

all residues and traces of product have been eliminated.



# Safety Data Sheet

Revised 15 Jul 2024

AAP AHS Polish Yellow\_CS 4x1 Gl

### **SECTION 14. TRANSPORT INFORMATION**

### **Road and Rail Transport**

Not Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code 7<sup>th</sup> ed.) for Transport by Road and Rail. Not Classified as Dangerous according to NZS 5433:2020 Transport of Dangerous Goods on Land.

### **Marine Transport**

Not Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

### **Air Transport**

Not Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

### **SECTION 15. REGULATORY INFORMATION**

AICS All substances listed Poisons Schedule Not scheduled

NZ Approval Code Cleaning Products (Subsidiary Hazard) Group Standard 2020

HSR002530

### **SECTION 16. OTHER INFORMATION**

AICS Australian Inventory of Chemical Substances

ADG Australian Dangerous Goods

SWA Safe Work Australia

NZ New Zealand

IARC International Agency for Research on Cancer

WES Workplace Exposure Standards

GHS Globally Harmonised System of Classification and Labelling of Chemicals

**HSNO** Hazardous Substances and New Organisms

STOT Specific Target Organ Toxicity
TWA Time Weighted Average
STEL Short-Term Exposure Limit
CAS Chemical Abstracts Service
TSCA Toxic Substances Control Act
DSL Domestic Substances List
NDSL Non-Domestic Substances List

Version:	4.2
Revision Date:	15 Jul 2024
Print Date:	

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organisation supporting this manufacturer, supplier or distributor.