

Safety Data Sheet Air-O-Wash

Revised 25 Aug 2021

SECTION 1. IDENTIFICATION

Product Name Material Number	Air-O-Wash Various
Recommended use of the che	
Recommended use Restrictions on use	General-purpose aircraft exterior cleaner Reserved for industrial and professional use
Australian Distributor	Velocity Vehicle Care Pty Ltd 10 Holmwood Rd, Tottenham, VIC, 3012 Ph: 1300 990 074 Fax: 03 8669 4179 Email: <u>orders@velocityvehiclecare.com</u>
Emergency Number	Australia: 1800 127 406
NZ Distributor	Velocity Vehicle Care NZ Ltd Level 4 3 London St, Hamilton, 3204 Phone: 0800 483 562 (0800 4 VELOC) Fax: 07 974 9540 Email: orders@velocityvehiclecare.com
Emergency Number	New Zealand: 0800 243 622
Overseas Supplier	Zep Inc

SECTION 2. HAZARDS IDENTIFICATION

Dangerous Goods Classification

Classified as **non-Dangerous** Goods by the criteria of the Australian Dangerous Goods Code (ADG Code 7th ed.) for transport by Road and Rail.

Classified as non-Dangerous Goods under NZS 5433:2012 Transport of Dangerous Goods on Land.

GHS Classification

Non-hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) 7th ed.

Precautionary statements

Prevention

Wash hands thoroughly after handling.

Response

Get medical advice if you feel unwell.

Storage

Store in accordance with local regulations.

Disposal

Dispose of contents & container in accordance with local, regional and national Regulations.



Safety Data Sheet Air-O-Wash

Revised 25 Aug 2021

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration [%]
1-(2-methoxy-2-methylethoxy)-2-propanol	34590-94-8	5-10

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	Move non-essential personnel away from treatment area or spill area. Do not leave victim unattended. Have this safety data sheet available for emergency/medical responders.
If inhaled	Remove victim to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
In case of skin contact	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If irritation occurs seek medical attention. Wash contaminated clothing before re-use.
In case of eye contact	Irrigate with copious quantities of water also under the eyelids, for at least 15 minutes. In all cases of eye contamination, it is a sensible precaution to seek medical advice.
If swallowed	Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Seek immediate medical attention. Contact the Poison's Information Centre (Australia 131 126; New Zealand 0800 764 766).
Protection of first aiders	If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	Treat symptomatically.
Most important symptoms and effects, both acute and delayed	No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. However, nausea and vomiting may occur if large amounts are ingested. Where this material is used at elevated temperatures, vapour may cause irritation to mucous membranes and respiratory tract, headache and nausea.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	None known.
Specific hazards during firefighting	May produce toxic fumes, for example, carbon monoxide and carbon dioxide if burning. Do not allow run-off from firefighting to enter drains or water courses.
Hazardous combustion products	Carbon dioxide (CO2) Carbon monoxide Smoke



Safety Data Sheet Air-O-Wash

Revised 25 Aug 2021

Special protective equipment for firefighters

Specific extinguishing methods

Wear self-contained breathing apparatus for firefighting if necessary.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Use a water spray to cool fully closed containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	Do not allow contact with soil. Prevent runoff to waterways, drains, stormwater or sewer.
Methods and materials for containment and cleaning up	Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material e.g., sand, earth, diatomaceous earth, vermiculite, and place in container for disposal according to local / national regulations (see Section 13) . Flush away traces with water. For large spills (>5L), dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	Do not ingest. Avoid contact with skin and eyes. Do not breathe mist, vapours or spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. Wash contaminated clothing and other protective equipment before storage or re-use.
Conditions for safe storage	Store out of direct sunlight. Store away from strong oxidising agents. Keep containers closed at all times - check regularly for leaks.
Storage temperature	45 °C to 50 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1-(2-methoxy-2-methylethoxy)-2- propanol	34590-94-8	TWA	50 ppm 308 mg/m ³	SWA
		TWA	100 ppm 606 mg/m ³	NZ WES
		STEL	150 ppm 909 mg/m ³	NZ WES



Safety Data Sheet Air-O-Wash

Revised 25 Aug 2021

Biological occupatio	onal exposure limits					
Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
None allocated						

Engineering measures	Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.
Personal protective equipment	
Respiratory protection	If inhalation risk exists wear a filter respirator suitable for organic vapours/particulates.
Hand protection	Wear rubber gloves or other chemical resistant gloves e.g. nitrile, neoprene, natural rubber or PVC if skin contact expected.
Eye protection	Safety goggles or safety glasses with side shields.
Body protection	Impervious clothing.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practices. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable wash facilities for quick drenching or flushing of the eyes in case of contact or splash hazard.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour	Product liquid clear, yellow
Odour	citrus
Odour threshold	no data available
рН	no data
Melting point/freezing point	no data available
Boiling point	>100 °C
Flash point	Not applicable. Does not sustain combustion.
Evaporation rate	no data
Upper explosion limit	no data
Lower explosion limit	no data
Vapour pressure	no data
Oxidizing properties	The mixture is not classified as oxidising.
Density Water solubility	1.0 - 1.02 soluble
•	
Solubility in other solvents Partition coefficient: n-	no data no data
octanol/water	



Safety Data Sheet Air-O-Wash

Revised 25 Aug 2021

Auto-ignition temperature	no data
Thermal decomposition	no data
Viscosity, kinematic	no data

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions Conditions to avoid	No dangerous reaction known under conditions of normal use. None known.
Incompatible materials	Acids, strong oxidising agents.
Hazardous decomposition products	Hazardous combustion products: Carbon dioxide (CO2) Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects	
Information on possible routes of exposure	Possible workplace exposure routes are: Inhalation Eye contact Skin contact
Acute symptoms related to exposure	
Еуе	Health injuries are not known or expected under normal use. However, if unexpected contact occurs, may be mildly irritating to eye. Symptoms may include redness, irritation, stinging and watering.
Skin	Health injuries are not known or expected under normal use. However, may cause mild skin irritation with frequent or prolonged skin contact.
Inhalation	Health injuries are not known or expected under normal use. However, may cause mild respiratory irritation and headaches after prolonged exposure.
Ingestion	Not known to be toxic when swallowed. However, if ingested, symptoms may include nausea, vomiting, diarrhea.
Acute oral toxicity	Acute toxicity estimate : > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	no data
Acute dermal toxicity	no data
Skin corrosion/irritation	no data



Version 2.0	Safety Data Sheet Air-O-Wash	Revised 25 Aug 2021
Serious eye damage/eye irritation	May cause mild eye irritation.	
Respiratory or skin sensitisation	no data	
Germ cell mutagenicity	no data available	
Carcinogenicity	no data available	
Reproductive toxicity	no data available	
STOT - single exposure	no data available	
STOT - repeated exposure Aspiration toxicity Components (Ingredients)	no data available no data available	
Acute oral toxicity	1-(2-methoxy-2-methylethoxy)-2-propanol LD50 (rat): 5177 mg/kg - 5225 mg/kg	
Acute inhalation toxicity	1-(2-methoxy-2-methylethoxy)-2-propanol LC0 (rat) > 275 ppm	
Acute dermal toxicity	1-(2-methoxy-2-methylethoxy)-2-propanol LD50 (rabbit): 9,510 mg/kg	
Skin corrosion/irritation	1-(2-methoxy-2-methylethoxy)-2-propanol (rabbit): Slight irritant.	
Serious eye damage/eye irritation	1-(2-methoxy-2-methylethoxy)-2-propanol (rabbit): Mild irritant.	
Respiratory or skin sensitisation	1-(2-methoxy-2-methylethoxy)-2-propanol No evidence of skin sensitisation has been reporte tests.	ed in human patch
Germ cell mutagenicity	1-(2-methoxy-2-methylethoxy)-2-propanol Negative in genotoxicity tests.	
Carcinogenicity	1-(2-methoxy-2-methylethoxy)-2-propanol (inhalation route) No evidence of carcinogenic effe studies)	ect in rats (read across
Reproductive toxicity	1-(2-methoxy-2-methylethoxy)-2-propanol Studies of the developmental toxicity in rats and ra evidence of any selective toxicity to the foetus.	abbits provided no
STOT – single exposure STOT - repeated exposure	1-(2-methoxy-2-methylethoxy)-2-propanol (repeate No significant adverse effects were observed in ra and monkeys after repeated inhalation exposure.	

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	This product has no known ecotoxicological effects.
Toxicity to fish	no data available
Toxicity to daphnia and other aquatic invertebrates	no data available
Toxicity to algae	no data available



Version 2.0	Safety Data Sheet Air-O-Wash	Revised 25 Aug
Components (Ingredients)		
Toxicity to fish	1-(2-methoxy-2-methylethoxy)-2-propanol 96 h LC50 Fish: > 1,000 mg/l	
Toxicity to daphnia	1-(2-methoxy-2-methylethoxy)-2-propanol 48 h LC50 (Daphnia magna): 1919 mg/L	
Toxicity to algae	1-(2-methoxy-2-methylethoxy)-2-propanol 96 hour EC50 (Green algae): >969 mg/L	
Persistence and degradability	The ingredient, 1-(2-methoxy-2-methylethoxy)-2-pro biodegradable.	panol is readily
Bioaccumulative potential	no data available	
Partition coefficient: n- octanol/water	1-(2-methoxy-2-methylethoxy)-2-propanol Log Kow: -0.064	
Mobility in soil	no data available	

2021

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste product and residues	Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility. The product should not be allowed to enter drains, water courses or the soil.
Contaminated packaging	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers. Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

Classified as **non-Dangerous Goods** by the criteria of the Australian Dangerous Goods Code (ADG Code 7th ed.) for Transport by Road and Rail; Classified as **non-Dangerous** according to NZS 5433:2012 Transport of Dangerous Goods on Land.

Marine Transport

Classified as **non-Dangerous Goods** by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport

Classified as **non-Dangerous Goods** by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.



Safety Data Sheet Air-O-Wash

Revised 25 Aug 2021

SECTION 15. REGULATORY INFORMATION

AICS	All substances listed
Poisons Schedule	Not scheduled
NZ Approval Code	Not required

SECTION 16. OTHER INFORMATION

AICS SWA NZ	Australian Inventory of Chemical Substances Safe Work Australia New Zealand
IARC	International Agency for Research on Cancer
WES	Workplace Exposure Standards
GHS	Globally Harmonised System of Classification and Labelling of Chemicals
HSNO	Hazardous Substances and New Organisms
EMS	Emergency Spill Procedures
STOT	Specific Target Organ Toxicity
TWA	Time Weighted Average
STEL	Short-Term Exposure Limit
CAS	Chemical Abstracts Service
DNEL	Derived No Effect Level
PPM	Parts Per Million
Mg/M ³	Milligrams Per Metres Cubed

Version:	2.0
Revision Date:	25 August 2021
Print Date:	25 August 2021

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organisation supporting this manufacturer, supplier or distributor.

1300 990 074 www.velocityvehiclecare.com ©2022 NCS Vehicle Care Inc

