

**Section 1. Identification of the Substance/Preparation and of the Company/Undertaking**

Product Name **BCL AHS PARADISE FOAM SOAP 4x1GL**  
Material number **V30624**

**Recommended use of the chemical and restrictions on use**

Recommended use Transportation Wash

Australian Distributor Velocity Vehicle Care Pty Ltd  
5 Horsburgh Drive, Altona North, Vic, 3025  
Ph: 1300 990 074  
Email: [orders@velocityvehiclecare.com](mailto:orders@velocityvehiclecare.com)

Emergency Number **Australia: 1800 127 406**

NZ Distributor Velocity Vehicle Care NZ Ltd Level 4  
3 London St, Hamilton, 3204  
Phone: 0800 483 562 (0800 4 VELOC)  
Email: [orders@velocityvehiclecare.com](mailto:orders@velocityvehiclecare.com)

Emergency Number **New Zealand: 0800 243 622**

Overseas Supplier NCS Vehicle Care

**SECTION 2. HAZARDS IDENTIFICATION**

**Dangerous Goods Classification**

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code 7th ed.) for transport by Road and Rail.

Classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.

**Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) 7th ed.**

**Flammable liquids** Category 4  
**Skin corrosion** Category 1B  
**Eye damage** Category 1  
**GHS label elements**

**Hazard pictograms**



**Signal Word**

**DANGER**

Hazard statements

H227 Combustible liquid

H314 Causes severe skin burns and eye damage.

Precautionary statements

**Prevention**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves, protective clothing eye protection and face protection.

**Response**

P301 + P330 + P331 **IF SWALLOWED**: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 **IF ON SKIN** (or hair): Take off immediately all contaminated clothing. Rinse skin with shower.

P363 Wash contaminated clothing before reuse.

P304 + P340 + P310 **IF INHALED**: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor or medical centre.

P305 + P351 + P338 **IF IN EYES**: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage**

P403 + P405 Store locked up in a well-ventilated place.

**Disposal**

P501 Dispose of contents & container in accordance with local, regional & national Regulations.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### **Hazardous components**

Chemical name	CAS-No.	Concentration [%]
dodecylbenzenesulphonic acid, compound with 2-aminoethanol (1:1)	26836-07-7	≥ 20 - < 30
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	≥ 10 - < 20
sodium xylenesulphonate	1300-72-7	≥ 5 - < 10
propane-1,2-diol	57-55-6	≥ 5 - < 10
(2-methoxymethylethoxy)propanol (Mixture of isomers)	34590-94-8	≥ 5 - < 10

The exact percentages of disclosed substances are withheld as trade secrets.

### **SECTION 4. FIRST AID MEASURES**

#### **General advice**

Move non-essential personnel away from treatment area, spill, or dangerous area. Have this safety data sheet available for emergency/medical responders. Symptoms of exposure may appear several hours later. Do not leave the victim unattended.

#### **If inhaled**

Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur. If unconscious, place in recovery position and seek medical advice.

#### **In case of skin contact**

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.  
Wash off immediately with plenty of water for at least 15 minutes.  
Remove contaminated clothing and shoes. Wash contaminated clothing before re-use.

#### **In case of eye contact**

Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

#### **If swallowed**

Keep respiratory tract clear.  
DO NOT induce vomiting unless directed to do so by a physician or poison control centre.  
Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.  
Take victim immediately to hospital

#### **Protection of first aiders**

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

#### **Notes to physician**

Treat symptomatically. Symptoms may be delayed.

#### **Most important symptoms and effects, both acute and delayed**

Effects are immediate and delayed.  
Symptoms may include blistering, irritation, burns, and pain. Effects are dependent on exposure (dose, concentration, contact time).  
Causes severe skin burns and eye damage. Review section 2 of SDS to see all potential hazards.

## **SECTION 5. FIREFIGHTING MEASURES**

<b>Suitable extinguishing media</b>	Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards during firefighting</b>	Do not allow run-off from firefighting to enter drains or water courses. This product is combustible and can intensify or help spread a fire.
<b>Hazardous combustion products</b>	Decomposition products may include the following materials: Carbon dioxide (CO <sub>2</sub> ) Carbon monoxide Smoke Nitrogen oxides (NO <sub>x</sub> ) Sulfur oxides
<b>Special protective equipment for firefighters</b>	Firefighters are to wear self-contained breathing apparatus if in risk of exposure to fumes or products of combustion.
<b>Specific extinguishing methods</b>	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Use a water spray to cool fully closed containers. In the event of fire and/or explosion do not breathe fumes. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

<b>Personal precautions, protective equipment and emergency procedures</b>	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit, they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in Sections 7 and 8.
<b>Environmental precautions</b>	Do not allow contact with soil. Prevent runoff to waterways, drains, stormwater or sewer.
<b>Methods and materials for containment and cleaning up</b>	Stop leak if safe to do so. Use only non-sparking tools. Contain spillage, and then collect with non-combustible absorbent material e.g., sand, earth, diatomaceous earth, vermiculite, and place in container for disposal according to local / national regulations (see Section 13). Flush away traces with water. For large spills (>5L), dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## **SECTION 7. HANDLING AND STORAGE**

### **Advice on safe handling**

Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Provide sufficient air exchange and/or exhaust in work rooms. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.

### **Conditions for safe storage**

Do not store near strong alkalis. Combustible material: store away from naked flames, heat sources and ignition points. Keep out of reach of children. Keep container tightly closed in a well-ventilated place. Store in suitable labelled containers. Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	TWA	150 ppm / 474 mg/m <sup>3</sup>	SWA/NZ WES
(2- Methoxy methylethoxy) propanol (Mixture of isomers)	34590-94-8	TWA	100 ppm 606 mg/m <sup>3</sup>	NZ WES
		STEL	150 ppm 909 mg/m <sup>3</sup>	NZ WES
		TWA	50 ppm 308 mg/m <sup>3</sup>	SWA

### **Engineering measures**

Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

### **Personal protective equipment**

### **Respiratory protection**

Avoid breathing mists or sprays. Use respiratory protection unless adequate local exhaust ventilation is provided, or exposure assessment demonstrates that exposures are within recommended exposure guidelines. If working in a poorly ventilated area and exposure limits may be exceeded, wear a respirator with ABEK-P2 cartridge.

### **Hand protection**

Wear chemical resistant gloves e.g. nitrile, neoprene, butyl natural rubber.

### **Eye protection**

Safety glasses with side-shields, face shield.

### **Skin protection**

Wear protective clothing and footwear.

### **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practices. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable wash facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	liquid
Colour	amber, tan
Odour	coconut/lime
Odour Threshold	No data available
pH	1
Melting point/freezing point	No data available
Boiling point	No data available
Flash point	79.44°C
Evaporation rate	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Relative vapour density	No data available
Density	1.054 g/cm <sup>3</sup> (40 °C)
Water solubility	No data available
Solubility in other solvents	Not determined
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	Not determined
Thermal decomposition	No data available
Viscosity, kinematic	53 mm <sup>2</sup> /s (40 °C)

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	Stable
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Violent spattering may occur in contact with strong alkalis. When diluting product, always add the product to water to avoid generating excessive heat and violent spattering.
Conditions to avoid	Temperature extremes, sparks, flames, ignition sources
Incompatible materials	Strong alkalis
Hazardous decomposition products	Combustion decomposition products include: Carbon oxides Sulfur oxides

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on possible routes of exposure	Possible workplace exposure routes are: Skin, inhalation, eyes
Symptoms of overexposure	Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Effects are dependent on exposure (dose, concentration, contact time).
Acute symptoms related to exposure	
Eye	Risk of serious eye damage. This product can produce chemical burns to the eye following direct contact. Symptoms include pain, burning, redness, stinging, swelling, cloudiness and blurred vision.
Skin	This product can produce severe chemical burns following direct contact with the skin. Effects include burning sensation, blistering, pain, redness, swelling and rash.
Inhalation	This product may cause irritation of the respiratory tract, with temporary burning sensation in the nose, coughing, choking and difficulty breathing. There may be dizziness, headache, nausea and weakness.
Ingestion	This product can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion. Effects include vomiting, diarrhoea and bloating.
Acute oral toxicity	Acute toxicity estimate: 3,809 mg/kg Method: Calculation method
Acute inhalation toxicity	no data available
Acute dermal toxicity	no data available
Skin corrosion/irritation	Causes severe burns. Extremely corrosive and destructive to tissue.
Serious eye damage/eye irritation	Causes severe eye damage. May cause irreversible eye damage.
Respiratory or skin sensitisation	no data available
Germ cell mutagenicity	no data available
Carcinogenicity	no data available
Reproductive toxicity	no data available
STOT - single exposure	no data available
STOT - repeated exposure	no data available
Aspiration toxicity	no data available
<b>Components (Ingredients)</b>	
Acute oral toxicity	Benzenesulfonic acid, C10-16-alkyl derivs LD50 rat: >300 - < 2000 mg/kg
Acute inhalation toxicity	no data available
Acute dermal toxicity	Benzenesulfonic acid, C10-16-alkyl derivs LD50 rat: >200 - < 1000 mg/kg
Skin corrosion/irritation	no data available

Version 2.0

**Safety Data Sheet**  
**BCL AHS PARADISE FOAM SOAP 4x1**

Revised 28 Jun 2021

Serious eye damage/eye irritation	no data available
Respiratory or skin sensitisation	no data available
Germ cell mutagenicity	no data available
Carcinogenicity	no data available
Reproductive toxicity	no data available
STOT - repeated exposure	no data available

**SECTION 12. ECOLOGICAL INFORMATION**

<b>Ecotoxicity</b>	No data available
<b>Toxicity to fish</b>	No data available
<b>Toxicity to daphnia and other aquatic invertebrates</b>	No data available
<b>Toxicity to algae</b>	No data available
<b>Components (Ingredients)</b>	
<b>Toxicity to fish</b>	No data available
<b>Persistence and degradability</b>	No data on product. The major organic components are biodegradable.
<b>Bioaccumulative potential</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	propane-1,2-diol: log Pow: -1.07 (2-methoxymethylethoxy)propanol (Mixture of isomers) : Log Pow: 0.0043
<b>Mobility in soil</b>	No data available

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues	Do not dispose of waste into sewer unless allowed following treatment under a local trade waste agreement. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. Container must remain labelled until all residues have been completely removed.



**SECTION 14. TRANSPORT INFORMATION****Road and Rail Transport**

Classified as Dangerous Goods/Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code 7th ed.) for Transport by Road and Rail; Classified as Dangerous Goods according to NZS 5433:2012 Transport of Dangerous Goods on Land.

UN No.	3265
Proper shipping name	Corrosive liquid, acidic, organic,N.O.S. (Contains alkyl benzene sulfonic acid)
Class	8
Packing Group	II
HAZCHEM	2X

**Marine Transport**

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

UN No.	3265
Proper shipping name	Corrosive liquid, acidic, organic,N.O.S. (Contains alkyl benzene sulfonic acid)
Class	8
Packing Group	II
Marine Pollutant	No
EMS/Spill	F-A, S-B

**Air Transport**

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

UN No.	3265
Proper shipping name	Corrosive liquid, acidic, organic,N.O.S. (Contains alkyl benzene sulfonic acid)
Class	8
Packing Group	II

**SECTION 15. REGULATORY INFORMATION****AICS**

All substances listed

**Poisons Schedule**

Not scheduled

**NZ Approval code**

Cleaning Products (Corrosive) Group Standard 2020 (HSR002526)

**United States TSCA Inventory**

On TSCA Inventory

**Canadian Domestic Substances  
List (DSL)**

This product contains components on the Canadian DSL.

**SECTION 16. OTHER INFORMATION****Acronyms**

<b>AICS</b>	<b>Australian Inventory of Chemical Substances</b>
<b>SWA</b>	<b>Safe Work Australia</b>
<b>NZ</b>	<b>New Zealand</b>
<b>WES</b>	<b>Workplace Exposure Standards</b>
<b>GHS</b>	<b>Globally Harmonised System of Classification and Labelling of Chemicals</b>
<b>HSNO</b>	<b>Hazardous Substances and New Organisms</b>
<b>EMS</b>	<b>Emergency Spill Procedures</b>
<b>STOT</b>	<b>Specific Target Organ Toxicity</b>
<b>TWA</b>	<b>Time Weighted Average</b>
<b>STEL</b>	<b>Short-Term Exposure Limit</b>
<b>CAS</b>	<b>Chemical Abstracts Service</b>
<b>DNEL</b>	<b>Derived No Effect Level</b>
<b>TSCA</b>	<b>Toxic Substances Control Act</b>
<b>DSL</b>	<b>Domestic Substances List</b>

Version:	2.0
Revision Date:	28 Jun 2021
Print Date:	4 July 2021

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organisation supporting this manufacturer, supplier or distributor.