

Transclean

SECTION 1. IDENTIFICATION

Product Name TRANSCLEAN

Recommended use of the chemical and restrictions on use

Recommended use Multi-Purpose Interior Surface Cleaner Industrial and commercial use only

Australian Distributor Velocity Vehicle Care Pty Ltd

10 Holmwood Rd, Tottenham, VIC, 3012

Ph: 1300 990 074 Fax: 03 8669 4179

Email: orders@velocityvehiclecare.com

Emergency Number Australia: 1800 127 406

NZ Distributor Velocity Vehicle Care NZ Ltd Level 4

3 London St, Hamilton, 3204

Phone: 0800 483 562 (0800 4 VELOC)

Fax: 07 974 9540

Email: orders@velocityvehiclecare.com

Emergency Number New Zealand: 0800 243 622

Overseas Supplier Zep Inc

SECTION 2. HAZARDS IDENTIFICATION

Dangerous Goods Classification

Classified as non-Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code 7th ed.) for transport by Road and Rail.

Classified as non-Dangerous Goods under NZS 5433:2012 Transport of Dangerous Goods on Land.

GHS Classification

Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) 7th ed.

Serious eye damage Category 1
Skin irritation Category 2

GHS label elements

Hazard pictograms



Signal Word DANGER



Version 2.0

Safety Data Sheet

Revised 30 July 2021

Transclean

Hazard statements

H318 Causes serious eye damage.

H315 Causes skin irritation.

Precautionary statements

Prevention

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves, eye, and face protection.

Response

P305 + P351 + P338 + P310 **IF IN EYES**: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage

P401 Store in accordance with local regulations.

Disposal

P501 Dispose of contents & container in accordance with local, regional and national Regulations.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
benzenesulfonic acid, dodecyl-, compd. with 2-aminoethanol (1:1)	26836-07-7	5 - 10
sodium dodecylbenzene sulfonate	25155-30-0	1 - 5
monoethanolamine	141-43-5	1 - 5
ethanol	64-17-5	1 - 5
silicic acid, disodium salt, pentahydrate	10213-79-3	1 - 5

The exact percentages of disclosed substances are withheld as trade secrets.



Version 2.0 Safety Data Sheet Revised 30 July 2021

Transclean

SECTION 4. FIRST AID MEASURES

General advice Move non-essential personnel away from treatment area, spill, or dangerous

area. Symptoms of exposure may appear several hours later. Do not leave

victim unattended.

Have this safety data sheet available for emergency/medical responders.

If inhaled Consult a physician after significant exposure. Move victim to fresh air. If

unconscious place in recovery position and seek medical advice. If symptoms

persist, call a doctor.

In case of skin contact Wash off immediately with plenty of water for at least 15 minutes. If on clothes,

remove clothes. Wash clothing before reuse. Get medical attention if

symptoms develop.

In case of eye contact Small amounts splashed into eyes can cause irreversible tissue damage and

blindness. Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Rinse mouth with water. Do NOT induce vomiting. Never give anything by

mouth to an unconscious person. Get medical attention if symptoms develop. Contact the Poison's Information Centre (Australia 131 126; New Zealand

0800 764 766).

Protection of first aiders
If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician Treat symptomatically. Symptoms may be delayed.

Most important

symptoms and effects, both acute and delayed

Effects are immediate and delayed.

Symptoms may include stinging, irritation, redness, itchiness and pain. Effects are dependent on exposure (dose, concentration, contact time).

Causes serious eye damage.

Causes skin irritation.

Review section 2 of SDS to see all potential hazards.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

Unsuitable extinguishing

media

Specific hazards during

firefighting

Hazardous combustion

products

Special protective

equipment for firefighters Specific extinguishing

methods

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Do not use water jet as an extinguisher, as this will spread the fire.

May produce toxic fumes, for example, carbon monoxide if burning. Do not allow run-off from fire fighting to enter drains or water courses.

Carbon oxides, nitrogen oxides (NOx), sulfur oxides

Wear self-contained breathing apparatus for firefighting if necessary.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Use a water spray to cool fully closed containers. Fire residues and contaminated fire extinguishing water

must be disposed of in accordance with local regulations.



Safety Data Sheet Revised 30 July 2021 Version 2.0

Transclean

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid contact with skin and eyes. When workers are facing concentrations above the exposure limit, they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Do not allow contact with soil. Prevent runoff to waterways, drains, stormwater or sewer.

Methods and materials for containment and cleaning

up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material e.g., sand, earth,

diatomaceous earth, vermiculite, and place in container for disposal according to local / national regulations (see Section 13) . Flush away traces with water. For large spills (>5L), dike spilled material or otherwise contain material to ensure runoff does not reach a

waterway.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling Avoid formation of aerosols. Do not breathe mists, vapours or

spray. Use only with adequate ventilation.

Smoking, eating and drinking should be prohibited in the application area. Wash hands thoroughly after handling. Do not get in eyes, on

skin, or on clothing.

Keep away from strongly acid materials. Conditions for safe storage

Keep away from food and drink.

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept

upright to prevent leakage. Observe label precautions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Monoethanolamine	141-43-5	TWA	3 ppm (7.5 mg/m³)	SWA NZ WES
		STEL	6 ppm (15 mg/m ³)	SWA NZ WES
Ethanol	64-17-5	TWA	1000 ppm (1880 mg/m³)	SWA NZ WES

Biological occupation	nal exposure limits					
Component	CAS-No.	Control	Biological	Sampling time	Permissible	Basis
		parameters	specimen		concentration	
None allocated						



Transclean

Engineering measures Effective exhaust ventilation system.

Maintain air concentrations below occupational exposure standards.

Personal protective

equipment

Respiratory protection Avoid breathing mists or sprays. Use respiratory protection unless

adequate local exhaust ventilation is provided or exposure assessment

demonstrates that exposures are within recommended exposure

guidelines.

Hand protection Wear rubber gloves or other chemical resistant gloves e.g. nitrile,

neoprene, natural rubber or PVC

Eye protection Safety glasses with side shields or chemical goggles.

Skin protection Wear protective clothing and footwear.

Hygiene measures Handle in accordance with good industrial hygiene and safety

practices. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable wash facilities for quick drenching or flushing of

the eyes and body in case of contact or splash hazard.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Product

Appearance liquid
Colour purple
Odour citrus, floral

Odour threshold no data

pH 11.2 (100 %)

Melting point/freezing point no data

Boiling point no data

Flash point no data

Evaporation rate no data Upper explosion limit no data Lower explosion limit no data Vapour pressure no data no data Relative vapour density Density 1.012 soluble Water solubility Solubility in other solvents no data no data Partition coefficient: n-

octanol/water

Auto-ignition temperature no data
Thermal decomposition no data
Viscosity, kinematic no data



Safety Data Sheet Revised 30 July 2021 Version 2.0

Transclean

SECTION 10. STABILITY AND REACTIVITY

Chemical stability Stable under normal conditions. Possibility of hazardous reactions Stable under normal conditions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials Strong acids

Hazardous decomposition Combustion by-products may include the following materials: carbon

oxides, nitrogen oxides (NOx), sulfur oxides products

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Information on possible Possible workplace exposure routes are:

routes of exposure Inhalation Eye contact

Skin contact

Acute symptoms related

to exposure

Severely irritating to eye. Symptoms may include redness, irritation, Eye

stinging, tearing and pain. Permanent corneal damage may occur if

medical treatment is not obtained immediately.

Skin irritant. May cause redness, itchiness, scaly and dry skin. Skin

Health injuries are not known or expected under normal use. Inhalation

Not known to be toxic when swallowed. However, if ingested, symptoms Ingestion

may include nausea, vomiting, pain, diarrhea.

Estimate: > 2,000 mg/kg Acute oral toxicity

Method: Calculation method

Estimate: > 5 mg/l Acute inhalation toxicity

Exposure time: 4 h

Method: Calculation method

Estimate > 2,000 mg/kg Acute dermal toxicity

Method: Calculation method

Skin corrosion/irritation

Serious eye damage/eye

Irritating to skin.

May cause irreversible eye damage irritation

Respiratory or skin

no data available sensitisation no data available Germ cell mutagenicity no data available Carcinogenicity no data available Reproductive toxicity no data available STOT - single exposure STOT - repeated exposure no data available no data available Aspiration toxicity

Components



Transclean

(Ingredients)

Acute oral toxicity Ethanol:LD50 (human) 2000mg/kg

Monoethanolamine: LD50

Acute inhalation toxicity Ethanol LC50 (rat 4hr): 51mg/l

Monoethanolamine: LC50 (4 hrs) 1487 mg/m³

Ethanol LC50 estimated > 15000 mg/l

Acute dermal toxicity Monoethanolamine LD50 (rat) 2504 mg/kg

Skin corrosion/irritation Ethanol (rabbit) non-irritating

Monoethanolamine (rabbit): corrosive to the skin

Ethanol (rabbit) non-irritating

Serious eye damage/eye

irritation

Monoethanolamine (rabbit): irreversible eye damage.

Respiratory or skin

sensitisation

Ethanol: not a skin sensitiser

Germ cell mutagenicity

Carcinogenicity

No data

Reproductive toxicity

No data

STOT - repeated exposure No data

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity This product has not been tested.

Toxicity to fishno data availableToxicity to daphnia andno data available

other aquatic invertebrates

Toxicity to algae no data available

Components (Ingredients)

Toxicity to fish Ethanol: LC50(96hr): Ethanol: Fathead minnow: 13480000 μg/L

Toxicity to daphnia Ethanol: LC50 (Mort): 5680000 μg/L

Toxicity to algae Ethanol: LOEC: 1450000 μg/L

Persistence and Sodium dodecylbenzene sulfonate: readily biodegradable

degradability Ethanol: readily biodegradable

Monoethanolamine: readily biodegradable

Bioaccumulative potential Sodium dodecylbenzene sulfonate: low potential for bioaccumulation.

Ethanol: low potential for bioaccumulation

Partition coefficient: n-

octanol/water

No data available

Mobility in soil No data available



Transclean

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste product and residues Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local

regulations. Where local laws allow, e.g. trade waste agreement, diluted pH-adjusted residues may be sent to sewer otherwise dispose of wastes

in an approved waste disposal facility.

Contaminated packaging Empty remaining contents. Dispose of as unused product. Empty

containers should be taken to an approved waste handling site for

recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

Classified as **non-Dangerous Goods** by the criteria of the Australian Dangerous Goods Code (ADG Code 7th ed.) for Transport by Road and Rail; Classified as **non-Dangerous** according to NZS 5433:2012 Transport of Dangerous Goods on Land.

Marine Transport

Classified as **non-Dangerous Goods** by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport

Classified as **non-Dangerous Goods** by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

SECTION 15. REGULATORY INFORMATION

AICS All substances listed Poisons Schedule Not scheduled.

NZ Approval Code Cleaning Products (Subsidiary Hazard) Group Standard 2020.

The HSNO Approval Number for this Group Standard is HSR002530.

United States TSCA Inventory On TSCA Inventory

Canadian Domestic All components of this product are on the Canadian DSL. Substances List (DSL)



Transclean

SECTION 16. OTHER INFORMATION

AICS Australian Inventory of Chemical Substances

SWA Safe Work Australia

NZ New Zealand

IARC International Agency for Research on Cancer

WES Workplace Exposure Standards

GHS Globally Harmonised System of Classification and Labelling of Chemicals

HSNO Hazardous Substances and New Organisms

Emergency Spill Procedures EMS Specific Target Organ Toxicity STOT TWA Time Weighted Average Short-Term Exposure Limit STEL Chemical Abstracts Service CAS **Derived No Effect Level DNEL Toxic Substances Control Act TSCA** DSL **Domestic Substances List NDSL Non-Domestic Substances List**

AU OEL Australian Occupational Exposure Limit

Version:	2.0
Revision Date:	30 July 2021
Print Date:	11 August 2021

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organisation supporting this manufacturer, supplier or distributor.

