

Cover Sheet for Safety Data Sheet

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Name AAP AHS Polish Red 4x1 Gal
V29524

Overseas Supplier Zep Inc

NZ Distributor Velocity Vehicle Care NZ Ltd
Level 4
3 London St, Hamilton, 3240
Phone: 0800 464 249
Fax: 07 974 9540
Email: orders@velocityvehiclecare.com

Emergency Number **New Zealand: 0800 243 622**

This product is Hazardous according to the NZ Hazardous Substances (Classification) Regulations 2001.

Australian Distributor Velocity Vehicle Care Pty Ltd
10 Holmwood Road
Tottenham VIC 3012
Ph: 1300 990 074
Fax: 03 8669 4179
Email: orders@velocityvehiclecare.com

Emergency Number **Australia: 1800 127 406**

This product is Hazardous according to the Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004)]

Cover sheet prepared by Velocity Vehicle Care Feb 2022

SAFETY DATA SHEET

AAP AHS POLISH RED_CS 4X1GL

Version 4.1

Revision Date 05/20/2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : AAP AHS POLISH RED_CS 4X1GL

Material number : V29524

Manufacturer or supplier's details

Company : NCS Vehicle Care, Inc.

Address : 1997 American Blvd.
De Pere, WI 54115

Telephone : 877-326-9274

Emergency telephone numbers

For SDS Information : www.ncsvehiclecare.com

For a Medical Emergency : 877-541-2016 Toll Free - All Calls Recorded

For a Transportation Emergency : CHEMTREC: 800-424-9300 - All Calls Recorded.
In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Vehicle Maintenance

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

| | |
|------------|----------------|
| Appearance | liquid |
| Colour | dark red |
| Odour | characteristic |

GHS Classification

Skin irritation : Category 2

Serious eye damage : Category 1

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements : **Prevention:**

SAFETY DATA SHEET

AAP AHS POLISH RED_CS 4X1GL

Version 4.1

Revision Date 05/20/2022

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ eye protection/ face protection.
P284 Wear respiratory protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P362 Take off contaminated clothing and wash before reuse.

Disposal:

P501 Dispose of contents/container in accordance with local regulation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

| Chemical name | CAS-No. | Concentration [%] |
|--|------------|-------------------|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | 61789-40-0 | >= 20 - < 30 |
| citric acid | 77-92-9 | >= 3 - < 5 |
| sodium N-(2-carboxyethyl)-N-(2-ethylhexyl)-beta-alaninate | 94441-92-6 | >= 1 - < 3 |
| glycerol | 56-81-5 | >= 1 - < 3 |
| benzaldehyde | 100-52-7 | >= 1 - < 3 |
| Alcohols, C9-11, ethoxylated | 68439-46-3 | >= 1 - < 3 |

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice : Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : Call a physician or poison control centre immediately.
If unconscious, place in recovery position and seek medical advice.

SAFETY DATA SHEET

AAP AHS POLISH RED_CS 4X1GL

Version 4.1

Revision Date 05/20/2022

-
- | | |
|---|---|
| In case of skin contact | : Wash off with soap and water. Wash off immediately with plenty of water for at least 15 minutes. Wash contaminated clothing before re-use. If on clothes, remove clothes. If symptoms persist, call a physician. |
| In case of eye contact | : Small amounts splashed into eyes can cause irreversible tissue damage and blindness. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses. Protect unharmed eye. |
| If swallowed | : Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital. |
| Most important symptoms and effects, both acute and delayed | : Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Symptoms may include difficulty breathing, coughing, wheezing, throat irritation, and tightness/closure of airway. Effects are dependent on exposure (dose, concentration, contact time). Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Review section 2 of SDS to see all potential hazards. |
| Notes to physician | : Treat symptomatically. Symptoms may be delayed. |

SECTION 5. FIREFIGHTING MEASURES

- | | |
|--------------------------------------|---|
| Suitable extinguishing media | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Unsuitable extinguishing media | : High volume water jet |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Carbon dioxide (CO ₂) Carbon monoxide Smoke |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |

SAFETY DATA SHEET

AAP AHS POLISH RED_CS 4X1GL

Version 4.1

Revision Date 05/20/2022

- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Avoid inhalation of vapour or mist.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Electrical installations / working materials must comply with the technological safety standards.
Observe label precautions.
- Materials to avoid : Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible | Basis |
|------------|---------|----------------------------------|----------------------------------|-------|
|------------|---------|----------------------------------|----------------------------------|-------|

SAFETY DATA SHEET

AAP AHS POLISH RED_CS 4X1GL

Version 4.1

Revision Date 05/20/2022

| | | | concentration | |
|--------------|----------|----------------------------------|----------------------|----------|
| glycerol | 56-81-5 | TWA (mist, respirable fraction) | 5 mg/m ³ | OSHA Z-1 |
| | | TWA (mist, total dust) | 15 mg/m ³ | OSHA Z-1 |
| | | PEL (Mist - total fraction) | 10 mg/m ³ | CAL PEL |
| | | PEL (Mist - respirable fraction) | 5 mg/m ³ | CAL PEL |
| | | TWA (Mist - total dust) | 10 mg/m ³ | OSHA P0 |
| | | TWA (Mist - respirable fraction) | 5 mg/m ³ | OSHA P0 |
| benzaldehyde | 100-52-7 | TWA | 2 ppm | US WEEL |
| | | STEL | 4 ppm | US WEEL |

Engineering measures : effective ventilation in all processing areas

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Material

Remarks

: Protective gloves
: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection

: Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

: When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : dark red

Odour : characteristic

SAFETY DATA SHEET

AAP AHS POLISH RED_CS 4X1GL

Version 4.1

Revision Date 05/20/2022

| | |
|--|---------------------------------|
| Odour Threshold | : No data available |
| pH | : 2.5 - 5 |
| Melting point/freezing point | : No data available |
| Boiling point | : > 100 °C |
| Flash point | : > 100 °C |
| Evaporation rate | : No data available |
| Upper explosion limit | : No data available |
| Lower explosion limit | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density | : No data available |
| Density | : 1.06 - 1.08 g/cm ³ |
| Solubility(ies) | |
| Water solubility | : soluble |
| Partition coefficient: n-octanol/water | : No data available |
| Auto-ignition temperature | : not determined |
| Thermal decomposition | : No data available |
| Viscosity | |
| Viscosity, kinematic | : No data available |

SECTION 10. STABILITY AND REACTIVITY

| | |
|------------------------------------|--|
| Reactivity | : Stable |
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : No decomposition if stored and applied as directed. |
| Conditions to avoid | : Extremes of temperature and direct sunlight. |
| Incompatible materials | : Oxidizing agents |
| Hazardous decomposition products | : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). |

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

| | |
|------------------------------|---------------|
| Aggravated Medical Condition | : None known. |
|------------------------------|---------------|

SAFETY DATA SHEET

AAP AHS POLISH RED_CS 4X1GL

Version 4.1

Revision Date 05/20/2022

Symptoms of Overexposure : Effects are immediate and delayed.
Symptoms may include blistering, irritation, burns, and pain.
Symptoms may include difficulty breathing, coughing, wheezing, throat irritation, and tightness/closure of airway.

Effects are dependent on exposure (dose, concentration, contact time).

Carcinogenicity:

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Components:

citric acid:

Acute oral toxicity : LD50 Oral Rat: 5,400 mg/kg

Acute dermal toxicity : LD50 Dermal Rabbit: > 2,000 mg/kg

Alcohols, C9-11, ethoxylated:

Acute oral toxicity : LD50 Oral Rat: 1,400 mg/kg

Skin corrosion/irritation

Product:

Remarks: Irritating to skin.

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

SAFETY DATA SHEET

AAP AHS POLISH RED_CS 4X1GL

Version 4.1

Revision Date 05/20/2022

Product:

Remarks: May cause sensitisation by inhalation and skin contact.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

Product:

Partition coefficient: n-octanol/water : Remarks: No data available

Components:

glycerol :

Partition coefficient: n-octanol/water : log Pow: -1.76

benzaldehyde :

Partition coefficient: n-octanol/water : Pow: 1.48

Mobility in soil

No data available

SAFETY DATA SHEET

AAP AHS POLISH RED_CS 4X1GL

Version 4.1

Revision Date 05/20/2022

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel):
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air):
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air):
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada):
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

SAFETY DATA SHEET

AAP AHS POLISH RED_CS 4X1GL

Version 4.1

Revision Date 05/20/2022

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|-------------------|---------|--------------------|-----------------------------|
| diethyl phthalate | 84-66-2 | 1000 | * |

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|--------------|---------|--------------------|-----------------------------|
| formaldehyde | 50-00-0 | 100 | * |

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards : Skin corrosion or irritation
Serious eye damage or eye irritation
Respiratory or skin sensitisation

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65



WARNING: This product can expose you to chemicals including dichloroacetic acid, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

SAFETY DATA SHEET

AAP AHS POLISH RED_CS 4X1GL

Version 4.1

Revision Date 05/20/2022

DSL This product contains one or more components that are listed on the Canadian NDSL. All other components are on the Canadian DSL.
TSCA On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.


Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

| | |
|------------------------|-----------|
| HEALTH | 3* |
| FLAMMABILITY | 1 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Hazard pictograms



Signal word

Hazard statements

Precautionary statements

: **Danger:**
: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
: **Prevention:** Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ eye protection/ face protection. Wear respiratory protection.
Response: IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/attention. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Take off contaminated clothing and wash before reuse.
Disposal: Dispose of contents/container in accordance with local regulation.

Version:

4.1

SAFETY DATA SHEET

AAP AHS POLISH RED_CS 4X1GL

Version 4.1

Revision Date 05/20/2022

| | |
|----------------|------------|
| Revision Date: | 05/20/2022 |
|----------------|------------|

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.