

**SECTION 1: Product identifier****1.1. GHS Product identifier**

Product form : Mixture  
Product name : BLUE CORAL Hi pH 3688  
Product code : 30003500

**1.2. Other means of identification**

No additional information available

**1.3. Recommended use of the chemical and restrictions on use**

Recommended use : Industrial Cleaning Agent  
Restrictions on use : For Industrial Use Only

**1.4. Details of manufacturer or importer****Supplier**

VELOCITY VEHICLE CARE  
5 Horsburgh Drive  
Altona North Victoria 3025  
Australia  
T 1300 990 074  
<https://www.velocityvehiclecare.com/>

**1.5. Emergency phone number**

Emergency number : Australia 1800 127 406 New Zealand 0800 483 562

**SECTION 2: Hazard identification****2.1. Classification of the hazardous chemical****Classification according to the model Work Health and Safety Regulations (WHS Regulations)**

Skin corrosion/irritation, Category 1A H314  
Serious eye damage/eye irritation, Category 1 H318

**2.2. GHS Label elements, including precautionary statements**

Hazard pictograms (GHS AU) :



Corrosion

Signal word (GHS AU) : Danger  
Contains : Sodium Hydroxide (10 – 30 %)  
Hazard statements (GHS AU) : H314 - Causes severe skin burns and eye damage  
Precautionary statements (GHS AU) : P260 - Do not breathe dust/fume/gas/mist/vapours/spray.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor.  
P321 - Specific treatment (see supplemental first aid instruction on this label).

# BLUE CORAL Hi pH 3688

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

- P363 - Wash contaminated clothing before reuse.  
P405 - Store locked up.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Additional hazard statements (GHS AU) : For exposure advice within Australia contact the Poisons Information Centre 131 126.

### 2.3. Other hazards which do not result in classification

No additional information available

## SECTION 3: Composition and information on ingredients

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Sodium Hydroxide	1310-73-2	10 – 30	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318
Other substances (not contributing to the classification of this product)	-	70 – 90	-

## SECTION 4: First aid measures

### 4.1. Description of necessary first-aid measures

- First-aid measures general : Call a physician immediately.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.  
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.  
First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Symptoms caused by exposure

- Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.  
Symptoms/effects after skin contact : Burns.  
Symptoms/effects after eye contact : Serious damage to eyes.  
Symptoms/effects after ingestion : Burns.

### 4.3. Medical attention and special treatment

- Other medical advice or treatment : Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

- Fire hazard : No fire hazard.  
Explosion hazard : No direct explosion hazard.  
General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.  
Absorb spillage to prevent material damage.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

# BLUE CORAL Hi pH 3688

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Hazchem Code	: 2R

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
------------------	---

#### 6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and materials for containment and cleaning up

For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up	: Take up liquid spill into absorbent material.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Store locked up.
Packaging materials	: Store always product in container of same material as original container.

## SECTION 8: Exposure controls and personal protection

### 8.1. Control parameters - exposure standards

#### Sodium Hydroxide (1310-73-2)

##### Australia - Occupational Exposure Limits

Local name	Sodium hydroxide
OES C	2 mg/m <sup>3</sup>

# BLUE CORAL Hi pH 3688

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

### 8.2. Monitoring methods

Monitoring methods : Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents.

### 8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment : Personal protective equipment (PPE) must be suited to the nature of the work and any hazard associated with the work as identified by the risk assessment conducted. Avoid all unnecessary exposure. Safety shower with an appropriate liquid. Wear recommended personal protective equipment. Ocular shower with suitable liquid.

Hand protection : Wear gloves resistant to chemical penetration: Polyvinylchloride (PVC), Nitrile rubber (NBR), Butyl rubber (IIR)

Eye protection : Wear eye protection: Chemical goggles or safety glasses

Skin and body protection : Wear foot protection: Chemical resistant boots. Wear protective clothing: Impervious clothing. Use protective apron: Chemical resistant apron

Respiratory protection : If vapour is released : Disposable half mask

#### Personal protective equipment symbol(s)



#### Other information

: The following Australian and New Zealand Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Industrial Clothing: AS2919, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210. PPE compliant with the recommended standards should be selected.

## SECTION 9: Physical and chemical properties

Physical state : Liquid  
Appearance : No data available  
Colour : colourless amber  
Odour : Bland  
Odour threshold : No data available  
pH : 13 – 14  
pH solution : 1 (12 – 13) %  
Relative evaporation rate (butylacetate=1) : No data available  
Melting point / Freezing point : Melting point: Not applicable  
Freezing point:  $\approx -5^{\circ}\text{C}$   
Boiling point :  $\approx 105^{\circ}\text{C}$   
Flash point : No data available  
Auto-ignition temperature : No data available  
Flammability : No data available  
Vapour pressure : No data available  
Relative density : No data available  
Density : Density: 1.3 – 1.35  
Solubility : Miscible with water.  
Partition coefficient n-octanol/water (Log Pow) : No data available  
Explosive properties : No data available  
Explosive limits : No data available  
Minimum ignition energy : No data available  
Fat solubility : No data available

## SECTION 10: Stability and reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

# BLUE CORAL Hi pH 3688

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes severe skin burns. pH: 13 – 14
Serious eye damage/irritation	: Causes serious eye damage. pH: 13 – 14
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

### SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

#### 12.1. Ecotoxicity

Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

#### 12.2. Persistence and degradability

BLUE CORAL Hi pH 3688	
Persistence and degradability	Readily biodegradable according to OECD guidelines.
Biochemical oxygen demand (BOD)	≈ 102 g O <sub>2</sub> /l
Chemical oxygen demand (COD)	≈ 156 g O <sub>2</sub> /l
Biodegradation	> 60 %

Sodium Hydroxide (1310-73-2)	
Persistence and degradability	Rapidly degradable

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

# BLUE CORAL Hi pH 3688

## Safety Data Sheet




according to the Work Health and Safety (WHS) Regulations

BLUE CORAL Hi pH 3688	
Fluorinated greenhouse gases	False
Sodium Hydroxide (1310-73-2)	
Fluorinated greenhouse gases	False

### SECTION 13: Disposal considerations

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

### SECTION 14: Transport information

ADG	IMDG	IATA
<b>14.1. UN number</b>		
1824	1824	1824
<b>14.2. UN Proper Shipping Name</b>		
SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION	Sodium hydroxide solution
<b>14.3. Transport hazard class(es)</b>		
8	8	8
		
<b>14.4. Packing group</b>		
II - Substances presenting medium danger	II	II
<b>14.5. Environmental hazards</b>		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No

### 14.6. Special precautions for user

Specific storage requirement	: No data available
Shock sensitivity	: No data available

### 14.7. Additional information

Other information : No supplementary information available

#### Transport by road and rail

UN-No. (ADG)	: 1824
Limited quantities (ADG)	: 1I
Excepted quantities (ADG)	: E2
Packing instructions (ADG)	: P001, IBC02
Portable tank and bulk container instructions (ADG)	: T7
Portable tank and bulk container special provisions (ADG)	: TP2

#### Transport by sea

UN-No. (IMDG)	: 1824
Limited quantities (IMDG)	: 1 L

# BLUE CORAL Hi pH 3688

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES
Stowage category (IMDG)	: A
Segregation (IMDG)	: SGG18, SG35
Properties and observations (IMDG)	: Colourless liquid. Corrosive to aluminium, zinc and tin. Reacts with ammonium salts, evolving ammonia gas. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.

### Air transport

UN-No. (IATA)	: 1824
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L

### 14.8. Hazchem or Emergency Action Code

Hazchem Code	: 2R
--------------	------

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations

#### Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS Inventory) status : All the chemicals contained in this product are listed introductions

#### Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Covered by The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) : This chemical is covered by the Standard for the Uniform Scheduling of Medicines and Poisons  
Relevant Poisons Schedule number : Poison

#### Australian Pesticides and Veterinary Medicines Authority (APVMA)

No additional information available

### 15.2. International agreements

No additional information available

# BLUE CORAL Hi pH 3688

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

### SECTION 16: Other information

Data sources : Safe Work Australia - Code of Practice - Preparation of Safety Data Sheets for Hazardous Chemicals  
Safe Work Australia - Code of Practice - Labelling of Workplace Hazardous Chemicals  
Safe Work Australia - Workplace Exposure Standards for Airborne Contaminants  
Safe Work Australia - Hazardous Chemical Information System (HCIS)  
Australian Inventory of Industrial Chemicals (AICIS Inventory)  
Environmental Protection Authority - Hazardous Substances (Hazard Classification) Notice 2020  
Environmental Protection Authority - Hazardous Substances (Safety Data Sheets) Notice 2017  
Environmental Protection Authority - Hazardous Substances (Labelling) Notice 2017  
New Zealand - Chemical Classification and Information Database (CCID)  
New Zealand - Inventory of Chemicals (NZIoC)  
European Chemicals Agency (ECHA) - Annex VI (C&L Inventory)  
European Chemicals Agency (ECHA) - REACH Study Results  
European Chemicals Agency (ECHA) - REACH Registration Dossiers  
United Nations - Globally Harmonised System of Classification and Labelling of Chemicals (GHS)  
Uniform Scheduling of Medicines and Poisons (SUSMP)  
United Nations Recommendations on the Transport of Dangerous Goods (UNRTDG Model Regulation)  
Australian Dangerous Goods Code (ADG Code)  
International Air Transport Association Dangerous Goods Regulations (IATA DGR)  
International Maritime Dangerous Goods (IMDG Code).

Classification	
Skin Corr. 1A	H314
Eye Dam. 1	H318

Full text of H-statements	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

Safety Data Sheet (SDS), Australia

The information herein is to the best of our knowledge, correct and complete. It describes the safety requirements for this product and should not be construed as guaranteeing specific properties. Since methods and conditions of application are beyond our control Kersia Australia Pty Ltd and its associated companies do not accept liability for any damages resulting from the use of, or reliance on, this information in inappropriate contexts.