

SECTION 1: Product identifier

1.1. GHS Product identifier

Product form : Mixture
Product name : BLUE CORAL SMART SHINE 130
Product code : 3755101

1.2. Other means of identification

Other means of identification : Acidic Vehical Wash Detergent

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Industrial Cleaning Agent
Restrictions on use : For Industrial Use Only

1.4. Details of manufacturer or importer

Supplier

VELOCITY VEHICLE CARE
5 Horsburgh Drive
Altona North Victoria 3025
Australia
T 1300 990 074
<https://www.velocityvehiclecare.com/>

1.5. Emergency phone number

Emergency number : Australia 1800 127 406 New Zealand 0800 483 562


SECTION 2: Hazard identification

2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Acute toxicity (oral), Category 5	H303
Skin corrosion/irritation, Category 1A	H314
Serious eye damage/eye irritation, Category 1	H318

2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU) : 

Corrosion

Signal word (GHS AU) : Danger

Contains : Sulphuric Acid (10 – 30 %); Dodecylbenzenesulfonic acid (10 – 30 %); Ethylene Glycol Butyl Ether (1 – 10 %); Poly(oxy-1,2-ethanediyl), .alpha.-dodecyl-.omega.-hydroxy- (1 – 10 %)

Hazard statements (GHS AU) : H303 - May be harmful if swallowed
H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS AU) : P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

BLUE CORAL SMART SHINE 130

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and information on ingredients

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Sulphuric Acid	7664-93-9	10 – 30	Skin Corr. 1A, H314
Dodecylbenzenesulfonic acid	68584-22-5	10 – 30	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Ethylene Glycol Butyl Ether	111-76-2	1 – 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:gas), H332 Skin Irrit. 2, H315
Polyoxyethylene C9-11 Ether	68439-46-3	1 – 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Poly(oxy-1,2-ethanediyl), .alpha.-dodecyl-.omega.-hydroxy-	9002-92-0	1 – 10	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318
Other substances (not contributing to the classification of this product)	-	10 – 77	-

SECTION 4: First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Symptoms caused by exposure

Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

4.3. Medical attention and special treatment

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

BLUE CORAL SMART SHINE 130

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

- Fire hazard : No fire hazard.
Explosion hazard : No direct explosion hazard.
General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.
Absorb spillage to prevent material damage.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Hazchem Code : 2R

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.
Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

- For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up : Take up liquid spill into absorbent material.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Store locked up.

BLUE CORAL SMART SHINE 130

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Packaging materials : Store always product in container of same material as original container.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

Sulphuric Acid (7664-93-9)	
Australia - Occupational Exposure Limits	
Local name	Sulphuric acid
OES TWA	1 mg/m ³
OES STEL	3 mg/m ³
Ethylene Glycol Butyl Ether (111-76-2)	
Australia - Occupational Exposure Limits	
Local name	2-Butoxyethanol
OES TWA	96.9 mg/m ³
	20 ppm
OES STEL	242 mg/m ³
	50 ppm

8.2. Monitoring methods

Monitoring methods : Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents.

8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment : Personal protective equipment (PPE) must be suited to the nature of the work and any hazard associated with the work as identified by the risk assessment conducted. Avoid all unnecessary exposure. Safety shower with an appropriate liquid. Wear recommended personal protective equipment. Ocular shower with suitable liquid.

Hand protection : Wear gloves resistant to chemical penetration: Polyvinylchloride (PVC), Nitrile rubber (NBR), Butyl rubber (IIR)

Eye protection : Wear eye protection: Chemical goggles or safety glasses

Skin and body protection : Wear foot protection: Chemical resistant boots. Wear protective clothing: Impervious clothing. Use protective apron: Chemical resistant apron

Respiratory protection : If vapour is released : Disposable half mask

Personal protective equipment symbol(s)



Other information : The following Australian and New Zealand Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Industrial Clothing: AS2919, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210. PPE compliant with the recommended standards should be selected.

SECTION 9: Physical and chemical properties

Physical state : Liquid

Appearance : Clear.

BLUE CORAL SMART SHINE 130

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Colour	: light red
Odour	: Odourless.
Odour threshold	: No data available
pH	: No data available
pH solution	: 1 (0.5 – 2.5) %
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: Melting point: Not applicable Freezing point: ≈ 0 °C
Boiling point	: ≈ 100 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Flammability	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Density	: Density: 1.2 – 1.27
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Explosive properties	: No data available
Explosive limits	: No data available
Minimum ignition energy	: No data available
Fat solubility	: No data available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity (oral)	: May be harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

BLUE CORAL SMART SHINE 130

ATE AU (oral)	2133.106 mg/kg bodyweight
---------------	---------------------------

Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Skin sensitization: Not classified.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity

Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.
Hazardous to the aquatic environment, short-term (acute)	: Not classified

BLUE CORAL SMART SHINE 130

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Hazardous to the aquatic environment, long-term (chronic) : Not classified

12.2. Persistence and degradability

BLUE CORAL SMART SHINE 130	
Persistence and degradability	Rapidly degradable
Sulphuric Acid (7664-93-9)	
Persistence and degradability	Rapidly degradable
Dodecylbenzenesulfonic acid (68584-22-5)	
Persistence and degradability	Rapidly degradable
Ethylene Glycol Butyl Ether (111-76-2)	
Persistence and degradability	Rapidly degradable
Polyoxyethylene C9-11 Ether (68439-46-3)	
Persistence and degradability	Rapidly degradable
Poly(oxy-1,2-ethanediyl), .alpha.-dodecyl-.omega.-hydroxy- (9002-92-0)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available

BLUE CORAL SMART SHINE 130	
Fluorinated greenhouse gases	False
Sulphuric Acid (7664-93-9)	
Fluorinated greenhouse gases	False
Dodecylbenzenesulfonic acid (68584-22-5)	
Fluorinated greenhouse gases	False
Ethylene Glycol Butyl Ether (111-76-2)	
Fluorinated greenhouse gases	False
Polyoxyethylene C9-11 Ether (68439-46-3)	
Fluorinated greenhouse gases	False
Poly(oxy-1,2-ethanediyl), .alpha.-dodecyl-.omega.-hydroxy- (9002-92-0)	
Fluorinated greenhouse gases	False

SECTION 13: Disposal considerations




Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Disposal must be done according to official regulations.
Additional information : Do not re-use empty containers.

BLUE CORAL SMART SHINE 130

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

SECTION 14: Transport information

ADG	IMDG	IATA
14.1. UN number		
2796	2796	2796
14.2. UN Proper Shipping Name		
SULPHURIC ACID (Not more than 51%)	SULPHURIC ACID (Not more than 51%)	Sulphuric acid (Not more than 51%)
14.3. Transport hazard class(es)		
8	8	8
		
14.4. Packing group		
II - Substances presenting medium danger	II	II
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No

14.6. Special precautions for user

Specific storage requirement : No data available
Shock sensitivity : No data available

14.7. Additional information

Other information : No supplementary information available

Transport by road and rail

UN-No. (ADG) : 2796
Limited quantities (ADG) : 1I
Excepted quantities (ADG) : E2
Packing instructions (ADG) : P001, IBC02
Portable tank and bulk container instructions (ADG) : T8
Portable tank and bulk container special provisions (ADG) : TP2

Transport by sea

UN-No. (IMDG) : 2796
Limited quantities (IMDG) : 1 L
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
IBC special provisions (IMDG) : B20
Tank instructions (IMDG) : T8
Tank special provisions (IMDG) : TP2
EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage) : S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES
Stowage category (IMDG) : B
Segregation (IMDG) : SGG1, SG36, SG49
Properties and observations (IMDG) : Colourless liquid, mixture not exceeding 1.405 relative density. Highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.

Air transport

UN-No. (IATA) : 2796
PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y840

BLUE CORAL SMART SHINE 130

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

PCA limited quantity max net quantity (IATA) : 0.5L
PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
ERG code (IATA) : 8L

14.8. Hazchem or Emergency Action Code

Hazchem Code : 2R

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations

Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS Inventory) status : Contains substance(s) listed on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Covered by The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) : This chemical is covered by the Standard for the Uniform Scheduling of Medicines and Poisons
Relevant Poisons Schedule number : Poison

Australian Pesticides and Veterinary Medicines Authority (APVMA)

No additional information available

15.2. International agreements

No additional information available

SECTION 16: Other information

Data sources : Safe Work Australia - Code of Practice - Preparation of Safety Data Sheets for Hazardous Chemicals
Safe Work Australia - Code of Practice - Labelling of Workplace Hazardous Chemicals
Safe Work Australia - Workplace Exposure Standards for Airborne Contaminants
Safe Work Australia - Hazardous Chemical Information System (HCIS)
Australian Inventory of Industrial Chemicals (AICIS Inventory)
Environmental Protection Authority - Hazardous Substances (Hazard Classification) Notice 2020
Environmental Protection Authority - Hazardous Substances (Safety Data Sheets) Notice 2017
Environmental Protection Authority - Hazardous Substances (Labelling) Notice 2017
New Zealand - Chemical Classification and Information Database (CCID)
New Zealand - Inventory of Chemicals (NZIoC)
European Chemicals Agency (ECHA) - Annex VI (C&L Inventory)
European Chemicals Agency (ECHA) - REACH Study Results
European Chemicals Agency (ECHA) - REACH Registration Dossiers
United Nations - Globally Harmonised System of Classification and Labelling of Chemicals (GHS)
Uniform Scheduling of Medicines and Poisons (SUSMP)
United Nations Recommendations on the Transport of Dangerous Goods (UNRTDG Model Regulation)
Australian Dangerous Goods Code (ADG Code)
International Air Transport Association Dangerous Goods Regulations (IATA DGR)
International Maritime Dangerous Goods (IMDG Code).

Classification

Acute Tox. 5 (Oral)

H303

BLUE CORAL SMART SHINE 130

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Classification	
Skin Corr. 1A	H314
Eye Dam. 1	H318

Full text of H-statements	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Acute Tox. 5 (Oral)	Acute toxicity (oral), Category 5
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H302	Harmful if swallowed
H303	May be harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled

Safety Data Sheet (SDS), Australia

The information herein is to the best of our knowledge, correct and complete. It describes the safety requirements for this product and should not be construed as guaranteeing specific properties. Since methods and conditions of application are beyond our control Kersia Australia Pty Ltd and its associated companies do not accept liability for any damages resulting from the use of, or reliance on, this information in inappropriate contexts.