

Uniclean 205B

SECTION 1. IDENTIFICATION

Product Name UNICLEAN 205B

Recommended use of the chemical and restrictions on use

Recommended use General Purpose Cleaner

Restrictions on use Industrial and commercial use only

Australian Distributor Velocity Vehicle Care Pty Ltd

10 Holmwood Rd, Tottenham, VIC, 3012

Ph: 1300 990 074 Fax: 03 8669 4179

Email: orders@velocityvehiclecare.com

Emergency Number Australia: 1800 127 406

NZ Distributor Velocity Vehicle Care NZ Ltd Level 4

3 London St, Hamilton, 3204

Phone: 0800 483 562 (0800 4 VELOC)

Fax: 07 974 9540

Email: orders@velocityvehiclecare.com

Emergency Number New Zealand: 0800 243 622

Overseas Supplier Zep Inc

SECTION 2. HAZARDS IDENTIFICATION

Dangerous Goods Classification

Classified as non-Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code 7th ed.) for transport by Road and Rail.

Classified as non-Dangerous Goods under NZS 5433:2012 Transport of Dangerous Goods on Land.

GHS Classification

Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) 7th ed.

Serious eye damage Category 1

GHS label elements

Hazard pictograms



Signal Word DANGER



Version 2.0 Safety Data Sheet Revised 30 July 2021
Uniclean 205B

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

Prevention

P280 Wear protective gloves, eye, and face protection.

Response

P305 + P351 + P338 + P310 **IF IN EYES**: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE

or doctor.

Storage

P401 Store in accordance with local regulations.

Disposal

P501 Dispose of contents & container in accordance with local, regional and national Regulations.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
2-(2-butoxyethoxy)ethanol	112-34-5	5 - 10
alcohols, c12-15, ethoxylated	68131-39-5	1 - 5
linear alkylbenzenesulphonates	27177-77-1	1 - 5

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice Move non-essential personnel away from treatment area, spill, or dangerous

area. Do not leave victim unattended.

Have this safety data sheet available for emergency/medical responders.

If inhaled Move victim to fresh air. If unconscious place in recovery position and seek

medical advice. If symptoms persist, call a doctor.

In case of skin contact Wash off immediately with plenty of water for at least 15 minutes. If on clothes,

remove clothes. Wash clothing before reuse. Get medical attention if

symptoms develop.

In case of eye contact

Small amounts splashed into eyes can cause irreversible tissue damage and

blindness. Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.



Safety Data Sheet Version 2.0 Revised 30 July 2021

Uniclean 205B

If swallowed Rinse mouth with water. Do NOT induce vomiting. Never give anything by

> mouth to an unconscious person. Get medical attention if symptoms develop. Contact the Poison's Information Centre (Australia 131 126; New Zealand

0800 764 766).

Protection of first aiders If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician Treat symptomatically. Symptoms may be delayed.

Effects are immediate and delayed. Most important

symptoms and effects, Symptoms may include stinging, burning, redness, and pain.

both acute and delayed Effects are dependent on exposure (dose, concentration, contact time).

Causes serious eye damage.

Review section 2 of SDS to see all potential hazards.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing Use extinguishing measures that are appropriate to local

media circumstances and the surrounding environment.

Do not use water jet as an extinguisher, as this will spread the fire. Unsuitable extinguishing

media

Specific hazards during firefighting

Hazardous combustion

products

Special protective equipment for firefighters Specific extinguishing

methods

May produce toxic fumes, for example, carbon monoxide if burning. Do not allow run-off from fire fighting to enter drains or water courses.

Carbon oxides, nitrogen oxides (NOx), sulfur oxides, oxides of

phosphorus

Wear self-contained breathing apparatus for firefighting if necessary.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Use a water spray to cool fully closed containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid contact with skin and eyes.. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in Sections 7 and 8.

Environmental precautions Do not allow contact with soil. Prevent runoff to waterways, drains,

waterway.

stormwater or sewer.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material e.g., sand, earth, diatomaceous earth, vermiculite, and place in container for disposal according to local / national regulations (see Section 13) . Flush away traces with water. For large spills (>5L), dike spilled material or otherwise contain material to ensure runoff does not reach a



Uniclean 205B

SECTION 7. HANDLING AND STORAGE

Advice on safe handling Avoid formation of aerosols. Do not breathe mists, vapours or

spray. Use with adequate ventilation.

Wash hands thoroughly after handling. Do not get in eyes, on skin,

or on clothing.

Conditions for safe storage Keep away from strongly acid materials.

Keep away from food and drink.

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept

upright to prevent leakage. Observe label precautions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
None allocated				

Biological occupational exposure						
	limits					
Component	CAS-No.	Control	Biological	Sampling time	Permissible	Basis
·		parameters	specimen		concentration	
None allocated						

Engineering measuresGood general ventilation should be sufficient to control worker exposure

to airborne contaminants.

Personal protective

equipment

Respiratory protection No personal respiratory protective equipment normally required.

Hand protection Wear rubber gloves or other chemical resistant gloves e.g. nitrile,

neoprene, natural rubber or PVC

Eye protection Safety glasses with side shields or chemical goggles.

Skin protection Wear protective clothing and footwear.

Hygiene measures Handle in accordance with good industrial hygiene and safety

practices. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable wash facilities for quick drenching or flushing of

the eyes and body in case of contact or splash hazard.



Uniclean 205B

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Product

Appearance liquid Colour green

Odour characteristic

Odour threshold no data
pH no data
Melting point/freezing point no data
Boiling point no data
Flash point no data

Evaporation rate no data Upper explosion limit no data Lower explosion limit no data Vapour pressure no data no data Relative vapour density Density 0.98-1.02 soluble Water solubility Solubility in other solvents no data no data Partition coefficient: n-

octanol/water

Auto-ignition temperature no data
Thermal decomposition no data
Viscosity, kinematic no data

SECTION 10. STABILITY AND REACTIVITY

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
No dangerous reaction known under conditions of normal use.

Conditions to avoid Extremes of temperature.

Incompatible materials None known

Hazardous decomposition Combustion by-products may include the following materials: carbon

products oxides, nitrogen oxides (NOx), sulfur oxides, oxides of phosphorus



Safety Data Sheet Version 2.0 Revised 30 July 2021

Uniclean 205B

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Information on possible

routes of exposure

Possible workplace exposure routes are:

Inhalation

Eve contact Skin contact

Acute symptoms related

to exposure

Eye

Severely irritating to eye. Symptoms may include redness, irritation,

stinging, tearing and pain. Permanent corneal damage may occur if

medical treatment is not obtained immediately.

Skin

May cause mild skin irritation after prolonged or persistent contact.

Inhalation

Health injuries are not known or expected under normal use.

Ingestion

Not known to be toxic when swallowed. However, if ingested, symptoms

may include nausea, vomiting, pain, diarrhea.

Acute oral toxicity

Estimate: > 2,000 mg/kg Method: Calculation method

Acute inhalation toxicity

no data available

Acute dermal toxicity

no data available

Skin corrosion/irritation

Serious eye damage/eye

no data available

irritation

May cause irreversible eye damage

Respiratory or skin sensitisation

no data available no data available Germ cell mutagenicity no data available Carcinogenicity no data available Reproductive toxicity no data available STOT - single exposure STOT - repeated exposure no data available

Aspiration toxicity

no data available

Components (Ingredients)

Acute oral toxicity

2-(2-butoxyethoxy)ethanol: rat LD50>5080mg/kg

alcohols, c12-15, ethoxylated: rat LD50 > 5 000 mg/kg bw

Acute inhalation toxicity

alcohols, c12-15, ethoxylated: LC50 rat 6 hr > 100 mg/m3 air

2-(2-butoxyethoxy)ethanol:LD50 rabbit: 2,764 mg/kg alcohols, c12-15, ethoxylated: LD50 rat: > 2,000 mg/kg

Skin corrosion/irritation

Acute dermal toxicity

no data available

2-(2-butoxyethoxy)ethanol: highly irritating

Serious eye damage/eye

irritation

Linear Alkylbenzenesulfonates: causes severe eye damage



Uniclean 205B

Respiratory or skin

sensitisation

Germ cell mutagenicity no data
Carcinogenicity no data
Reproductive toxicity no data

STOT - repeated exposure no data

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity This product has not been tested.

no data

Toxicity to fish no data available

Toxicity to daphnia and no data available

other aquatic invertebrates

Toxicity to algae no data available

Components (Ingredients)

Toxicity to fish 2-(2-butoxyethoxy)ethanol: LC50 1300mg/l.

Alcohol ethoxylates: 0.1 - 1.0 mg/L

Toxicity to daphnia 2-(2-butoxyethoxy)ethanol: EC50 100mg/l

Alcohol ethoxylates: 0.1 - 1.0 mg/L

Toxicity to algae 2-(2-butoxyethoxy)ethanol: EC50 1100mg/l

Alcohol ethoxylates: 0.1 - 1.0 mg/L

Persistence anddegradability

2-(2-butoxyethoxy)ethanol: readily biodegradable
alcohols, c12-15, ethoxylated: readily biodegradable

Bioaccumulative potential 2-(2-butoxyethoxy)ethanol: low potential for bioaccumulation based on

log Kow <=3

alcohols, c12-15, ethoxylated: low potential for bioaccumulation

Partition coefficient: n-

octanol/water

No data available

Mobility in soil No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste product and residues Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local

regulations. Where local laws allow, e.g. trade waste agreement, diluted pH-adjusted residues may be sent to sewer otherwise dispose of wastes

in an approved waste disposal facility.

Contaminated packaging Empty remaining contents. Dispose of as unused product. Empty

containers should be taken to an approved waste handling site for

recycling or disposal.



Uniclean 205B

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

Classified as **non-Dangerous Goods** by the criteria of the Australian Dangerous Goods Code (ADG Code 7th ed.) for Transport by Road and Rail; Classified as **non-Dangerous** according to NZS 5433:2012 Transport of Dangerous Goods on Land.

Marine Transport

Classified as non-Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport

Classified as **non-Dangerous Goods** by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

SECTION 15. REGULATORY INFORMATION

AICS All substances listed Poisons Schedule Not scheduled.

NZ Approval Code Cleaning Products (Subsidiary Hazard) Group Standard 2020.

The HSNO Approval Number for this Group Standard is HSR002530.

United States TSCA Inventory On TSCA Inventory

Canadian Domestic All components of this product are on the Canadian DSL.

Substances List (DSL)

SECTION 16. OTHER INFORMATION

AICS Australian Inventory of Chemical Substances

SWA Safe Work Australia

NZ New Zealand

IARC International Agency for Research on Cancer

WES Workplace Exposure Standards

GHS Globally Harmonised System of Classification and Labelling of Chemicals

HSNO Hazardous Substances and New Organisms

EMS Emergency Spill Procedures
STOT Specific Target Organ Toxicity
TWA Time Weighted Average
STEL Short-Term Exposure Limit
CAS Chemical Abstracts Service
DNEL Derived No Effect Level

TSCA Toxic Substances Control Act
DSL Domestic Substances List
NDSL Non-Domestic Substances List

AU OEL Australian Occupational Exposure Limit

Version:	2.0
Revision Date:	30 July 2021
Print Date:	12 August 2021



Version 2.0

Safety Data Sheet Uniclean 205B

Revised 30 July 2021

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organisation supporting this manufacturer, supplier or distributor.