

Cover Sheet for Safety Data Sheet

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Name Overseas Supplier	Blue Coral AHS Bug Remover 2.5Gal V20001 NCS Vehicle Care
NZ Distributor	Velocity Vehicle Care NZ Ltd Level 4 3 London St, Hamilton, 3240 Phone: 0800 464 249 Fax: 07 974 9540 Email: <u>orders@velocityvehiclecare.com</u>

Emergency NumberNew Zealand: 0800 243 622

This product is Hazardous according to the NZ Hazardous Substances (Classification) Regulations 2001.

Australian Distributor	Velocity Vehicle Care Pty Ltd
	10 Holmwood Rd
	Tottenham VIC 3012
	Ph: 1300 990 074
	Fax: 03 8669 4179
	Email: orders@velocityvehiclecare.com

Emergency NumberAustralia: 1800 127 406

This product is Hazardous according to the Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004]

Version 4.1	Revision Date 07/02/2020	Print Date 05/09/2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	BLUE CORAL AHS BUG REMOVER
Material number	:	V20001
Manufacturer or supplier's d	leta	ils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone numbers		
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	blue, clear
Odour	characteristic

GHS Classification

Skin irritation Serious eye damage Specific target organ toxicity - repeated exposure (Inhalation)	: Category 2 : Category 1 : Category 2
GHS label elements	
Hazard pictograms	: Health hazard Corrosion
Signal word	: Danger
Hazard statements	 H315 Causes skin irritation. H318 Causes serious eye damage. H373 May cause damage to organs through prolonged or repeated exposure if inhaled.
Precautionary statements	: Prevention: P260 Do not breathe dust/fume/ gas/mist/vapours/ spray.

Version 4.1	Revision Date 07/02/2020	Print Date 05/09/2022

P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection. **Response:**P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P314 Get medical advice/ attention if you feel unwell.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse. **Disposal:**P501 Dispose of contents/container in accordance with local

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture :

: Mixture

regulation.

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Alcohols, C9-11, ethoxylated	68439-46-3	>= 5 - < 10
1-Propanaminium, 3-amino-N-(carboxymethyl)- N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	61789-40-0	>= 5 - < 10
tetrasodium ethylenediaminetetraacetate	64-02-8	>= 3 - < 5
sodium hydroxide	1310-73-2	>= 3 - < 5
sodium N-(2-carboxyethyl)-N-(2-ethylhexyl)-beta- alaninate	94441-92-6	>= 3 - < 5
2-butoxyethanol	111-76-2	>= 1 - < 3
Alcohols, C12-15, ethoxylated	68131-39-5	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 Wash off immediately with plenty of water for at least 15 minutes. If on clothes, remove clothes. Wash contaminated clothing before re-use. If symptoms persist, call a physician.

Version 4.1	Revision Date 07/02/2020	Print Date 05/09/2022
In case of eye contact	: Small amounts splashed into eyes of tissue damage and blindness. Remove contact lenses. Protect unharmed eye. Rinse immediately with plenty of wa If eye irritation persists, consult a sp	ater for at least 15 minutes.
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to an If symptoms persist, call a physiciar DO NOT induce vomiting unless dir physician or poison control center. Take victim immediately to hospital.	n. rected to do so by a
Most important symptoms and effects, both acute and delayed	 Effects are immediate and delayed. Symptoms may include blistering, ir Symptoms may differ depending on affected. These effects generally at function or change, which may inclu- respiratory issues, and general pair Effects are dependent on exposure contact time). Causes skin irritation. Causes serious eye damage. May cause damage to organs throu exposure if inhaled. Review section 2 of SDS to see all 	rritation, burns, and pain. n organs and systems re reflected in reduced ude cramping, swelling, n. (dose, concentration, gh prolonged or repeated
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke Nitrogen oxides (NOx)
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	: Collect contaminated fire extinguishing water separately. Thi must not be discharged into drains. Fire residues and contaminated fire extinguishing water mus be disposed of in accordance with local regulations.

Version 4.1 Revision Date 07/02/2020		Print Date 05/09/2022	
Special protective equipment for firefighters	: Wear self-contained breathing appara necessary.	atus for firefighting if	
SECTION 6. ACCIDENTAL RELEA	SE MEASURES		
Personal precautions.	: Use personal protective equipment.		

protective equipment and emergency procedures	Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations. Do not breathe vapours or spray mist.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards. Observe label precautions. This product is formulated for use on hard metal surfaces. This product does contain a reducing agent(s) that may corrode soft metals. This product should be stored in its original packaging or containers of similar construction, and not in metal vessels.
Materials to avoid	: Do not store near acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	

Version 4.1

Revision Date 07/02/2020

Print Date 05/09/2022

		exposure)	Permissible concentration	
sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0
		С	2 mg/m3	CAL PEL
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0
		PEL	20 ppm 97 mg/m3	CAL PEL

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-BUTOXYE THANOL	111-76-2	Butoxyacetic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200.mg/g Creatinine	ACGIH BEI

Engineering measures

: effective ventilation in all processing areas

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Material Remarks		Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Tightly fitting safety goggles
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

Version 4.1

Revision Date 07/02/2020

Print Date 05/09/2022

Appearance	: liquid
Colour	: blue, clear
Odour	: characteristic
Odour Threshold	: No data available
рН	: 10 - 11
Melting point/freezing point	: No data available
Boiling point	: >100 °C
Flash point	: > 100 °C
Evaporation rate	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: soluble in cold water, soluble in hot water
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: Acids This product contains sodium hydroxide or potassium hydroxide that may corrode some soft metals and may react with tin, zinc, aluminum to form hydrogen gas.

Version 4.1

Revision Date 07/02/2020

Print Date 05/09/2022

Hazardous decomposition	: Carbon dioxide (CO2)
products	Carbon monoxide
	Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Symptoms may differ depending on organs and systems affected. These effects generally are reflected in reduced function or change, which may include cramping, swelling, respiratory issues, and general pain. Effects are dependent on exposure (dose, concentration, contact time). Causes skin irritation. Causes serious eye damage. May cause damage to organs through prolonged or repeated exposure if inhaled. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	Confirmed animal carcinogen with unknown relevance to humans 2-butoxyethanol 111-76-2
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : > 200 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method

Version 4.1	Revision Date 07/02/2020	Print Date 05/09/2022
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method	
Components:		
Alcohols, C9-11, ethoxylate Acute oral toxicity	d: : LD50 Oral Rat: 1,400 mg/kg	
sodium hydroxide: Acute dermal toxicity	: Acute toxicity estimate Rabbit: 1,350 m	g/kg
2-butoxyethanol: Acute oral toxicity	: LD50 Oral Rat: 880 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: 1,060 mg/kg	
Alcohols, C12-15, ethoxylat Acute oral toxicity	ed: : LD50 Oral Rat: 500 - 5,000 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: Irritating to skin.		
Serious eye damage/eye irritatio	on	
Product:		
Remarks: May cause irreversi	ble eye damage.	
Respiratory or skin sensitisation		
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
Components:		
tetrasodium ethylenediamin Exposure routes: Inhalation		

Assessment: May cause damage to organs through prolonged or repeated exposure.

Version 4.1

Revision Date 07/02/2020

Print Date 05/09/2022

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

<u>Components:</u> sodium hydroxide :	
Toxicity to fish	: LC50 (Gambusia affinis (Mosquito fish)): 125 mg/l Exposure time: 96 h Test Method: static test
	LC50 (Oncorhynchus tshawytscha (chinook salmon)): 152 mg/l Exposure time: 96 h
	LC50 (Oncorhynchus mykiss (rainbow trout)): 40 mg/l Exposure time: 48 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 34 - 47 mg/l Exposure time: 48 h
	EC50 (Crangon crangon (shrimp)): 33 - 100 mg/l Exposure time: 48 h
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I

Version 4.1	Revision Date 07/02/2020	Print Date 05/09/2022
Remarks	Substances This product neither contains, n with a Class I or Class II ODS a Clean Air Act Section 602 (40 C + B).	s defined by the U.S.
Additional ecological information	: No data available	
<u>Components:</u> sodium hydroxide:		
Additional ecological information	: Harmful to aquatic life.	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1824, Sodium hydroxide solution, 8, III

Transportation Regulation: IMDG (Vessel): UN1824, SODIUM HYDROXIDE SOLUTION, 8, III

Transportation Regulation: IATA (Cargo Air): UN1824, Sodium hydroxide solution, 8, III

Transportation Regulation: IATA (Passenger Air): UN1824, Sodium hydroxide solution, 8, III

Transportation Regulation: TDG (Canada): UN1824, SODIUM HYDROXIDE SOLUTION, 8, III

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

Version 4.1 Revision Date 07/02/2020 Print Date 05/09/2022

SECTION 15. REGULATORY INFORMATION

 TSCA list
 : No substances are subject to a Significant New Use Rule.

 No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
formaldehyde	50-00-0	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards	:	Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single	osure)
SARA 302	:	No chemicals in this material are sub requirements of SARA Title III, Secti	 ing
SARA 313	:	The following components are subje established by SARA Title III, Sectio 2-butoxyethanol	 vels 2.0002 %
California Prop. 65			
•			



WARNING: This product can expose you to chemicals including dichloroacetic acid, formaldehyde, which is/are known to the State of California to cause cancer, and dichloroacetic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Version 4.1

Revision Date 07/02/2020

Print Date 05/09/2022

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Further information

NFPA:

HEALTH	3
FLAMMABILITY	1
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme

HMIS III:

HEALTH	3*
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Hazard pictograms	Houth bazard Corresion
	Health hazard Corrosion
Signal w ord	: Danger:
Hazard statements	: Causes skin irritation. Causes serious eye damage. May cause damage to organs through prolonged or repeated exposure if inhaled.
Precautionary statements	
,	Prevention: Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.

Version 4.1

Revision Date 07/02/2020

Print Date 05/09/2022

Response: IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Get medical advice/attention if you feel unw ell. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and washbefore reuse.

Disposal: Dispose of contents/container in accordance with local regulation.

Version:	4.1
Revision Date:	07/02/2020
Print Date:	05/09/2022

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Distributed in Australia and New Zealand by: Velocity Vehicle Care Pty Ltd contact@velocityvehiclecare.com 1300 990 074 www.velocityvehiclecare.com ©2022 NCS Vehicle Care Inc

