

**SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

Product Name	<b>AAP VELOCITY CLEAR COAT PROTECT</b>
Material number	V41336
Recommended use	Protective Coating
Australian Distributor	Velocity Vehicle Care Pty Ltd 5 Horsburgh Drive, Altona North, Vic, 3025 Ph: 1300 990 074 Fax: 03 8669 4179 Email: <a href="mailto:orders@velocityvehiclecare.com">orders@velocityvehiclecare.com</a>
Emergency Number	<b>Australia: 1800 127 406</b>
NZ Distributor	Velocity Vehicle Care NZ Ltd Level 4 3 London St, Hamilton, 3204 Phone: 0800 483 562 (0800 4 VELOC) Fax: 07 974 9540 Email: <a href="mailto:orders@velocityvehiclecare.com">orders@velocityvehiclecare.com</a>
Emergency Number	<b>New Zealand: 0800 243 622</b>
Overseas Supplier	NCS Vehicle Care

**SECTION 2. HAZARDS IDENTIFICATION****Dangerous Goods Classification**

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code 7th ed.) for transport by Road and Rail.

Classified as a Dangerous Good under NZS 5433:2020 Transport of Dangerous Goods on Land.

**GHS Classification**

Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) 7th ed.

<b>Flammable Liquid</b>	<b>Category 4</b>
<b>Aspiration hazard</b>	<b>Category 1</b>
<b>Skin corrosion</b>	<b>Category 1B</b>
<b>Serious eye damage</b>	<b>Category 1</b>
<b>Acute aquatic toxicity<sup>1</sup></b>	<b>Category 2</b>

**GHS label elements**

Hazard pictograms



<sup>1</sup> Not applicable under Australian workplace regulations.

<b>Signal Word</b>	<b>DANGER</b>
<b>Hazard statements</b>	<b>H227 Combustible liquid</b> <b>H304 May be fatal if swallowed and enters airways.</b> <b>H314 Causes severe skin burns and eye damage.</b> <b>H401 Toxic to aquatic life.<sup>2</sup></b>
<b>Precautionary statements</b>	<b>Prevention</b> P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 Do not breathe mists. P264 Wash exposed skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves, protective clothing, eye protection & face protection. <b>Response:</b> P301 + P330 + P331 + P310 <b>IF SWALLOWED:</b> Rinse mouth. Do NOT induce vomiting. Immediately call a doctor or medical centre. P303 + P361 + P353 <b>IF ON SKIN</b> (or hair): Take off immediately all contaminated clothing. Rinse skin (or hair) with shower. P304 + P340 + P310 <b>IF INHALED:</b> Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor or medical centre. P305 + P351 + P338 + P310 <b>IF IN EYES:</b> Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use alcohol-resistant foam, carbon dioxide (CO <sub>2</sub> ) or dry chemical to extinguish. <b>Storage:</b> P403 + P405 + P233 Store locked up in a well-ventilated place. Keep container tightly closed. <b>Disposal:</b> P501 Dispose of contents/container in accordance with local regulations.

---

<sup>2</sup> Not applicable under Australian workplace regulations.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

Chemical name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated middle	64742-46-7	≥ 10 - < 20
Quaternary ammonium compounds, dicoco alkyl dimethyl, chlorides	61789-77-3	≥ 5 - < 10
2-butoxyethanol	111-76-2	≥ 5 - < 10
Amines, tallow alkyl, ethoxylated	61791-26-2	≥ 3 - < 5
Propan-2-ol	67-63-0	≥ 1 - < 3
Orange Vanilla fragrance	Mixture	≥ 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

**SECTION 4. FIRST AID MEASURES**

<b>General advice</b>	<p>Move out of dangerous area. Get medical attention immediately. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.</p>
<b>If inhaled</b>	<p>Move to fresh air. If unconscious place in recovery position and seek medical advice. If symptoms persist, call a doctor.</p>
<b>In case of skin contact</b>	<p>Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. If skin irritation persists after medical treatment, call a doctor.</p>
<b>In case of eye contact</b>	<p>Small amounts splashed into eyes can cause irreversible tissue damage and blindness. Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Continue rinsing eyes during transport to hospital. Protect unharmed eye. Keep eye wide open while rinsing.</p>
<b>If swallowed</b>	<p>Clean mouth with water and drink afterwards plenty of water. Keep respiratory tract clear. DO NOT induce vomiting unless directed to do so by a doctor or Poison Centre. Never give anything by mouth to an unconscious person. Take victim immediately to hospital.</p>

<b>Most important symptoms and effects, both acute and delayed</b>	<p>Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Effects are dependent on exposure (dose, concentration, contact time). Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Symptoms may include shortness of breath, dry cough, and irritation of the nose, eyes, lips, mouth, and throat. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Harmful if swallowed. Review section 2 of SDS Review section 2 of SDS to see all potential hazards.</p>
<b>Notes to physician</b>	Treat symptomatically. Symptoms may be delayed.

**SECTION 5. FIREFIGHTING MEASURES**

<b>Suitable extinguishing media</b>	Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
<b>Unsuitable extinguishing media</b>	High volume water jet
<b>Specific hazards during firefighting</b>	Do not allow run-off from firefighting to enter drains or water courses.
<b>Hazardous combustion products</b>	Carbon dioxide (CO <sub>2</sub> ) Carbon monoxide Smoke Nitrogen oxides (NO <sub>x</sub> )
<b>Specific extinguishing methods</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Further information</b>	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
<b>Special protective equipment for firefighters</b>	Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

<b>Personal precautions, protective equipment and emergency procedures</b>	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Use non-sparking equipment.
<b>Environmental precautions</b>	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
<b>Methods and materials for containment and cleaning up</b>	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**SECTION 7. HANDLING AND STORAGE**

<b>Advice on safe handling</b>	Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations. Do not breathe vapours or spray mist.
<b>Conditions for safe storage</b>	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
<b>Materials to avoid</b>	Strong oxidizing agents.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm (96.9 mg/m <sup>3</sup> )	SWA
		STEL	50 ppm (242 mg/m <sup>3</sup> )	SWA
		TWA	25 ppm (120 mg/m <sup>3</sup> )	NZ WES
propan-2-ol	67-63-0	TWA	400 ppm (983 mg/m <sup>3</sup> )	SWA
		STEL	500 ppm (1230 mg/m <sup>3</sup> )	SWA/NZ WES

**Biological occupational exposure limits**

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-butoxyethanol	111-76-2	Butoxyacetic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g Creatinine	ACGIH BEI
propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work week	40 mg/l	ACGIH BEI

**Engineering measures**

Effective exhaust ventilation system.

**Personal protective equipment**

**Respiratory protection**

Use respiratory protection unless adequate local exhaust ventilation is provided, or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Filter should protect against organic vapours.

**Hand protection**

Elbow-length impervious gloves

**Eye protection**

Chemical goggles, face shield.

**Skin and body protection**

Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the workplace.

**Hygiene measures**

Handle in accordance with good industrial hygiene and safety practices. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable wash facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	liquid
<b>Colour</b>	brown
<b>Odour</b>	characteristic
<b>Odour Threshold</b>	no data available
<b>pH</b>	7.5 - 9.5
<b>Melting point/freezing point</b>	no data available
<b>Boiling point</b>	> 100 °C
<b>Flash point</b>	66°C method: closed cup
<b>Evaporation rate</b>	no data available
<b>Upper explosion limit</b>	no data available
<b>Lower explosion limit</b>	no data available
<b>Vapour pressure</b>	no data available
<b>Relative vapour density</b>	no data available

<b>Density</b>	0.96 g/cm <sup>3</sup>
<b>Water solubility</b>	no data available
<b>Solubility in other solvents</b>	not determined
<b>Partition coefficient: n- octanol/water</b>	no data available
<b>Auto-ignition temperature</b>	not determined
<b>Thermal decomposition</b>	no data available
<b>Viscosity, kinematic</b>	no data available

**SECTION 10. STABILITY AND REACTIVITY**

<b>Reactivity</b>	Stable
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No decomposition if stored and applied as directed.
<b>Conditions to avoid</b>	Heat, flames and sparks.
<b>Incompatible materials</b>	Oxidizing agents
<b>Hazardous decomposition products</b>	Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke) if involved in a fire

**SECTION 11. TOXICOLOGICAL INFORMATION**

<b>Information on possible routes of exposure</b>	Possible workplace exposure routes are: Inhalation, Eye contact, Skin contact
<b>Acute symptoms related to exposure</b>	
<b>Eye</b>	A severe eye irritant. Corrosive to eyes; contact can cause corneal burns. Contamination of eyes can result in permanent injury.
<b>Skin</b>	Corrosive to skin - may cause skin burns. Contact with skin will result in severe irritation, possible blistering and pain.
<b>Inhalation</b>	Breathing in mists or aerosols may produce respiratory irritation. Symptoms may also include central nervous system depression, resulting in headache, nausea and/or dizziness, shortness of breath, dry cough, and irritation of the nose, lips, mouth, and throat.
<b>Ingestion</b>	Swallowing can result in nausea, vomiting, diarrhoea, abdominal pain and chemical burns to the gastrointestinal tract.
<b>Acute oral toxicity</b>	Acute toxicity estimate: 4,897 mg/kg Method: Calculation method
<b>Acute inhalation toxicity</b>	Acute toxicity estimate: 103.77 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method

**Safety Data Sheet**  
**AAP VELOCITY CLEAR COAT PROTECT**

<b>Acute dermal toxicity</b>	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
<b>Skin corrosion/irritation</b>	Extremely corrosive and destructive to tissue
<b>Serious eye damage/eye irritation</b>	May cause irreversible eye damage
<b>Respiratory or skin sensitisation</b>	No data to suggest this product is a skin or respiratory sensitiser
<b>Germ cell mutagenicity</b>	No data available
<b>Carcinogenicity</b>	No data available
<b>Reproductive toxicity</b>	No data available
<b>STOT - single exposure</b>	No data available
<b>STOT - repeated exposure</b>	Repeated skin or prolonged contact may cause dermatitis
<b>Aspiration toxicity</b>	Entry of this product into the airways can be fatal.
<b>Components (Ingredients)</b>	
<b>Acute oral toxicity</b>	2-butoxyethanol: LD50 Rat: 880 mg/kg propan-2-ol LD50 Rat: 4,396 mg/kg Method: Calculation method
<b>Acute inhalation toxicity</b>	No data
<b>Acute dermal toxicity</b>	2-butoxyethanol: LD50 Rabbit: 1,060 mg/kg
<b>Skin corrosion/irritation</b>	Quaternary ammonium compounds, dicoco alkyl dimethyl, chlorides: Causes severe skin burns
<b>Serious eye damage/eye irritation</b>	Quaternary ammonium compounds, dicoco alkyl dimethyl, chlorides: Causes severe eye damage
<b>Respiratory or skin sensitisation</b>	No data
<b>Germ cell mutagenicity</b>	No data
<b>Carcinogenicity</b>	No data
<b>Reproductive toxicity</b>	No data
<b>STOT - repeated exposure</b>	No data

**SECTION 12. ECOLOGICAL INFORMATION**

<b>Ecotoxicity</b>	The ingredient Distillates (petroleum) hydrotreated middle is harmful to aquatic life and the ingredient quaternary ammonium compounds, dicoco alkyl dimethyl, chlorides is toxic to the aquatic environment. This product has not been tested, however according to GHS criteria, this mixture is classified as (acute) toxic to aquatic life.
<b>Persistence and degradability</b>	No data available for the product, however the ingredients Distillates (petroleum) hydrotreated middle, 2-butoxyethanol and propan-2-ol are readily biodegradable
<b>Bioaccumulative potential</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Mobility in soil</b>	No data available
<b>Other adverse effects</b>	No data available

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

**Waste from residues**

Do not dispose of waste into sewer. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.

**Contaminated packaging**

Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Container must remain labelled until all traces and residues have been removed. Do not burn, or use a cutting torch on, the empty drum.

**SECTION 14. TRANSPORT INFORMATION****Road and Rail Transport**

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code 7<sup>th</sup> ed) for Transport by Road and Rail. Classified as a Dangerous Good according to NZS 5433:2020 Transport of Dangerous Goods on Land.

UN	1760
Proper shipping name	Corrosive Liquid, N.O.S. (Contains quaternary ammonium compounds)
Class	8
Sub risk	9 Environmentally hazardous liquid
Packing Group	III
HAZCHEM	2X

**Marine Transport**

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

UN	1760
Proper shipping name	Corrosive Liquid, N.O.S. (Contains quaternary ammonium compounds)
Class	8
Sub risk	9 Environmentally hazardous liquid
Packing Group	III
IMDG EMS/Spill	F-A, S-B
Marine Pollutant	No

**Air Transport**

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

UN	1760
Proper shipping name	Corrosive Liquid, N.O.S. (Contains quaternary ammonium compounds)
Class	8
Sub risk	9 Environmentally hazardous liquid
Packing Group	III

**SECTION 15. REGULATORY INFORMATION**

<b>Poisons Schedule</b>	S5
<b>AICS</b>	All ingredients listed
<b>NZ Approval code</b>	Cleaning Products (Corrosive) Group Standard 2020 HSR002526

**SECTION 16. OTHER INFORMATION****Acronyms**

<b>AICS</b>	<b>Australian Inventory of Chemical Substances</b>
<b>SWA</b>	<b>Safe Work Australia</b>
<b>NZ</b>	<b>New Zealand</b>
<b>IARC</b>	<b>International Agency for Research on Cancer</b>
<b>WES</b>	<b>Workplace Exposure Standards</b>
<b>GHS</b>	<b>Globally Harmonised System of Classification and Labelling of Chemicals</b>
<b>HSNO</b>	<b>Hazardous Substances and New Organisms</b>
<b>EMS</b>	<b>Emergency Spill Procedures</b>
<b>STOT</b>	<b>Specific Target Organ Toxicity</b>
<b>TWA</b>	<b>Time Weighted Average</b>
<b>STEL</b>	<b>Short-Term Exposure Limit</b>
<b>CAS</b>	<b>Chemical Abstracts Service</b>

Version:	4.0
Revision Date:	13 May 2026

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organisation supporting this manufacturer, supplier or distributor.