

Blue Coral Tire & Engine Cleaner

SECTION 1. IDENTIFICATION

Product Name BLUE CORAL TIRE & ENGINE CLEANER

Material number V37236

Recommended use of the chemical and restrictions on use

Recommended use Multipurpose Vehicle Detergent

Australian Distributor Velocity Vehicle Care Pty Ltd

10 Holmwood Rd, Tottenham, VIC, 3012

Ph: 1300 990 074 Fax: 03 8669 4179

Email: orders@velocityvehiclecare.com

Emergency Number Australia: 1800 127 406

NZ Distributor Velocity Vehicle Care NZ Ltd Level 4

3 London St, Hamilton, 3204

Phone: 0800 483 562 (0800 4 VELOC)

Fax: 07 974 9540

Email: orders@velocityvehiclecare.com

Emergency Number New Zealand: 0800 243 622

Overseas Supplier Zep Inc

SECTION 2. HAZARDS IDENTIFICATION

Dangerous Goods Classification

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code 7th ed.) for transport by Road and Rail.

Classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.

GHS Classification

Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) 7th ed.

Skin corrosion Category 1C

Eye damage Category 1

Skin sensitisation Category 1

GHS label elements

Hazard pictograms



Signal Word DANGER



Version 2.0

Safety Data Sheet

Blue Coral Tire & Engine Cleaner

Revised 30 Jul 2021

Hazard statements H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

P260 Do not breathe mists.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response

P301 + P330 + P331 + P310 **IF SWALLOWED**: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor.

P303 + P361 + P353 **IF ON SKIN (or hair):** Take off immediately all contaminated clothing. Rinse skin with shower.

P304 + P340 + P310 **IF INHALED**: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTRE/doctor.

P305 + P351 + P338 + P310 **IF IN EYES**: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice.

P362 + P363 Take off contaminated clothing and wash it before reuse.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents & container in accordance with local, regional & national Regulations.



Version 2.0

Safety Data Sheet Blue Coral Tire & Engine Cleaner

Revised 30 Jul 2021

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	≥ 3 - < 5
2-butoxyethanol	111-76-2	≥1-<3
alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt (Dilution)	32612-48-9	≥1-<3
Sodium xylenesulfonate	1300-72-7	≥1-<3
Potassium hydroxide	1310-58-3	≥ 1 - < 3
Sodium hydroxide	1310-73-2	≥ 1 - < 3
Sodium metasilicate (disodium salt)	6834-92-0	≥ 1 - < 3
Oils, sweet orange (terpenes and terpenoids)	68647-72-3	≥ 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice Move non-essential personnel away from treatment area, spill, or dangerous area.

Have this safety data sheet available for emergency/medical responders.

If inhaled Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

In case of skin contact Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 20 minutes. Remove contaminated clothing and shoes. If skin is burned, cover burn with a loose sterile gauze dressing. Take victim to hospital or a medical contraction and processing. Wash contaminated clothing before your second contraction of the skin should be shown to b

centre as soon as possible. Wash contaminated clothing before re-use.

In case of eye contact Small amounts splashed into eyes can cause irreversible tissue damage and blindness. Rinse immediately with plenty of water, also under the eyelids, for at least 20 minutes. Continue rinsing eyes during transport to hospital. Remove contact

lenses. Protect unharmed eye. Keep eye wide open while rinsing. After treatment, if symptoms persist, get immediate medical advice.

If swallowed Rinse mouth with water.

If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.

Rinse mouth with water again.

Immediately call a Poison Centre or doctor. Treatment is urgently required. Transport to a hospital. Do **NOT** induce vomiting unless directed to do so by a doctor or Poison

Centre. Never give anything by mouth to an unconscious person.

Protection of first

aiders

If potential for exposure exists refer to Section 8 for specific personal protective

equipment.

Notes to physician Treat symptomatically as for strong alkaline substance. Symptoms may be delayed.

Most important symptoms and effects, both acute and delayed Effects are immediate and delayed.

Symptoms may include blistering, irritation, burns, and pain. Effects are dependent

on exposure (dose, concentration, contact time). Causes severe skin burns and eye damage.

Review section 2 of SDS to see all potential hazards..



Safety Data Sheet Version 2.0 Revised 30 Jul 2021

Blue Coral Tire & Engine Cleaner

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

Specific hazards during

firefighting

Do not use water jet as an extinguisher, as this will spread the fire.

Not flammable or combustible. May produce toxic fumes, for example,

carbon monoxide if burning.

Hazardous combustion

products

Decomposition products may include the following materials:

Carbon dioxide (CO2) Carbon monoxide Sulphur oxides

Smoke

Nitrogen oxides (NOx)

Special protective

equipment for firefighters

Specific extinguishing methods

Firefighters are to wear self-contained breathing apparatus if in risk of exposure to fumes or products of combustion.

Promptly isolate the scene by removing all persons from the vicinity of

the incident if there is a fire. In the event of fire and/or explosion do not breathe fumes. Fire residues and contaminated fire extinguishing water

must be disposed of in accordance with local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions. protective equipment and emergency procedures

Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit, they must use appropriate certified respirators. Ensure cleanup is conducted by trained personnel only. Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Do not allow contact with soil. Prevent runoff to waterways, drains, stormwater or sewer.

Methods and materials for containment and cleaning

up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material e.g., sand, earth,

diatomaceous earth, vermiculite, and place in container for disposal according to local / national regulations (see Section 13). Flush away traces with water. For large spills (>5L), dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

When diluting, always add the product slowly to the water. Never add the water directly to the product as violent spattering can occur. Will cause exothermic reaction (release of heat) if mixed with acids causing violent spattering. Do not breathe vapours or mists. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Avoid contact with skin and eyes. For personal protection see Section 8. Smoking, eating and drinking should be prohibited in the application

Dispose of rinse water in accordance with local and national regulations.



Blue Coral Tire & Engine Cleaner

Conditions for safe storage Do not store near acids. Keep container tightly closed in a dry and

well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Do not store in aluminium or galvanised containers nor use die-cast zinc or

aluminium bungs; plastic bungs should be used.

Electrical installations / working materials must comply with the

technological safety standards.

Storage temperature No data

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sodium hydroxide	1310-73-2	TWA	2 mg/m ³	SWA/NZ WES
Potassium hydroxide	1310-58-3	TWA	2 mg/m ³	SWA/NZ WES
2-butoxyethanol	111-76-2	TWA	20 ppm (96.9 mg/m³)	SWA
		STEL	50 ppm (242 mg/m ³)	SWA
		TWA	25 ppm (121 mg/m³)	NZ WES

Biological occupational	None allocated.
exposure limits	

Engineering measures Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

Personal protective

equipment

Respiratory protection Avoid breathing mists or sprays. Use respiratory protection unless

adequate local exhaust ventilation is provided, or exposure assessment

demonstrates that exposures are within recommended exposure

guidelines.

Hand protection Wear chemical resistant gloves e.g. nitrile, neoprene, butyl, natural

rubber.

Eye protection Safety glasses with side-shields. Face shield where risk assessment

indicates additional protection is needed.

Skin protection Wear protective clothing and footwear.

Hygiene measures Handle in accordance with good industrial hygiene and safety

practices. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable wash facilities for quick drenching or flushing of

the eyes and body in case of contact or splash hazard.



Blue Coral Tire & Engine Cleaner

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Product

Appearance liquid
Colour dark green
Odour citrus

Odour threshold no data pH 13-14

Melting point/freezing point no data available
Boiling point no data available

Flash point > 93.3 °C

Evaporation rate no data

Upper explosion limit no data

Lower explosion limit no data

Vapour pressure no data

Relative vapour density no data

Density 1.08 - 1.14 g/cm3 (20 °C)

Water solubility soluble
Solubility in other solvents soluble
Partition coefficient: n- no data

octanol/water

Auto-ignition temperature no data
Thermal decomposition no data
Viscosity, kinematic no data

SECTION 10. STABILITY AND REACTIVITY

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions Will cause violent exothermic reaction (heat releasing) when mixed with

acids.

Conditions to avoid Keep away from direct sunlight. Freezing temperatures.

Incompatible materials Metals including aluminium , tin , and zinc. Acids.

Hazardous decomposition

products

No decomposition if stored and applied as directed



Version 2.0

Safety Data Sheet

Blue Coral Tire & Engine Cleaner

Revised 30 Jul 2021

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Information on possible routes of exposure

Possible workplace exposure routes are: dermal, inhalation, eyes.

Effects are immediate and delayed.

Effects are dependent on exposure (dose, concentration, contact time).

Acute symptoms related to exposure

io exposui

Eye May cause severe pain and burns. Also stinging, blurred vision, tearing.

Can cause corneal burns. If not treated immediately, permanent eye

damage may result.

Skin May cause burns, scarring, irritation, redness, pain and blistering.

Effects can be delayed.

Inhalation May cause respiratory irritation, burning to respiratory tract.

Ingestion May cause severe burns to the mouth, tongue, oesophagus and

stomach. May cause nausea, vomiting, stomach cramps, diarrhea and

pain

Acute oral toxicity >5000 mg/kg

Method: Calculation method

Acute inhalation toxicity > 200 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Method: Calculation method

Skin corrosion/irritation Extremely corrosive and destructive to tissue.

Serious eye damage/eye

irritation

May cause irreversible eye damage.

Respiratory or skin

sensitisation

May cause skin sensitisation.

Germ cell mutagenicity no data available

Carcinogenicity no data available

Reproductive toxicity no data available

STOT - single exposure no data available STOT - repeated exposure no data available

Aspiration toxicity

no data available

Components (Ingredients)

Acute oral toxicity 2-butoxyethanol: LD50 Rat: 880 mg/kg

alpha-sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), ammonium

salt (Dilution): LD50 Rat: 630 mg/kg

Sodium metasilicate (disodium salt): LD50 Rat: 1,153 mg/kg

Dipotassium metasilicate: LD50 Rat: 273 mg/kg

Acute inhalation toxicity no data available



Blue Coral Tire & Engine Cleaner

Acute dermal toxicity sodium hydroxide: estimate Rabbit: 1,350 mg/kg

2-butoxyethanol: LD50 Rabbit: 1,060 mg/kg

Skin corrosion/irritation sodium hydroxide Rabbit - Result: Causes severe burns. - 24 h

Serious eye damage/eye

irritation

sodium hydroxide Rabbit Result: Corrosive - 24 h

Respiratory or skin Sodium hydroxide – not a sensitiser

sensitisation Oils, sweet orange (terpenes and terpenoids): May cause sensitisation by

skin contact.

Germ cell mutagenicity No data available

Carcinogenicity No data available
Reproductive toxicity No data available

STOT - repeated exposure No data available.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity For the component sodium hydroxide - A high concentration of sodium

hydroxide in water will increase the alkalinity of the water, which can be

harmful for aquatic life.

Toxicity to fish no data available

Toxicity to daphnia and

other aquatic invertebrates

no data available

Toxicity to algae no data available

Components (Ingredients)

Toxicity to fish Sodium hydroxide: Brachydanio rerio 55.6 mg/L < LC50 (96h) < 100 mg/L

Gambusia affinis (Mosquito fish): 125 mg/l LC 50 (96h)

Test Method: static test

Toxicity to aquatic

invertebrates

Sodium hydroxide: Daphnia Ceriodaphnia dubia LC50 (48H) = 40 mg/L

(fresh water)

Persistence and degradability

The component, sodium hydroxide is an inorganic substance and therefore not responsive to biodegradation. In the presence of water, it

will break down into salts depending on the ions present in the

environment.

The major surfactant in this product is readily biodegradable.

Bioaccumulative potential The ingredient, sodium hydroxide, is inorganic which does not

bioaccumulate in the food chain.

Partition coefficient: n-

octanol/water

No data available

Mobility in soil No data available



Blue Coral Tire & Engine Cleaner

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility. Where local laws allow, e.g. trade waste agreement, diluted pH-adjusted

residues may be sent to sewer.

Do not contaminate ponds, waterways, or ditches with chemical or used

container

Contaminated packaging Empty remaining contents. Dispose of as unused product. Do not re-

use empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Containers must remain labelled until all traces and residues have been removed.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

Classified as **Dangerous Goods/Dangerous Goods** by the criteria of the Australian Dangerous Goods Code (ADG Code 7th ed.) for Transport by Road and Rail; Classified as **Dangerous Goods** according to NZS 5433:2012 Transport of Dangerous Goods on Land.

Land transport (ADG)

UN number 3266

Proper Shipping name Corrosive liquid, basic, inorganic, n.o.s., (potassium hydroxide,

sodium hydroxide),

Class 8
Packing group III
Hazchem Code 2X

Marine Transport

Classified as **Dangerous Goods/Dangerous Goods** by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Marine transport

(IMDG/IMO)

UN number 3266

Proper Shipping name Corrosive liquid, basic, inorganic, n.o.s., (potassium hydroxide,

sodium hydroxide),

Class 8
Packing group III
Marine pollutant No
IMDG EMS Fire/Spill F-A, S-B

Air Transport

Classified as **Dangerous Goods**/**Dangerous Goods** by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Air transport (IATA)

UN number 3266

Proper Shipping name Corrosive liquid, basic, inorganic, n.o.s., (potassium hydroxide,

sodium hydroxide),

Class 8 Packing group III



Blue Coral Tire & Engine Cleaner

SECTION 15. REGULATORY INFORMATION

AICS All substances listed

Poisons Schedule S5

NZ Approval Code Cleaning Products (Corrosive) Group Standard 2020 HSR002526 United States TSCA Inventory On TSCA Inventory. No substances are subject to a Significant New

Use Rule.

Canadian Domestic All components are on the Canadian DSL.

Substances List (DSL)

SECTION 16. OTHER INFORMATION

AICS Australian Inventory of Chemical Substances

SWA Safe Work Australia

NZ New Zealand

IARC International Agency for Research on Cancer

WES Workplace Exposure Standards

GHS Globally Harmonised System of Classification and Labelling of Chemicals

HSNO Hazardous Substances and New Organisms

EMS Emergency Spill Procedures
STOT Specific Target Organ Toxicity
TWA Time Weighted Average
STEL Short-Term Exposure Limit
CAS Chemical Abstracts Service
DNEL Derived No Effect Level

DNEL Derived No Effect Level
TSCA Toxic Substances Control Act
DSL Domestic Substances List
NDSL Non-Domestic Substances List

AU OEL Australian Occupational Exposure Limit

Version:	2.0
Revision Date:	30 July 2021
Print Date:	12 August 2021

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organisation supporting this manufacturer, supplier or distributor.

