

# Safety Data Sheet **MEGA FOAM BLUE 2x2.5 GAL**

Revised 23 Apr 2021

## **SECTION 1. IDENTIFICATION**

| Product Name<br>Material number            | MEGA FOAM BLUE 2x2.5 GAL<br>14470-BD1   |
|--|---|
| Recommended use of the che                 | mical and restrictions on use   |
| Recommended use                            | Cleaner   |
| Australian Distributor<br>Emergency Number | Velocity Vehicle Care Pty Ltd<br>10 Holmwood Rd, Tottenham, VIC, 3012<br>Ph: 1300 990 074<br>Fax: 03 8669 4179<br>Email: <u>orders@velocityvehiclecare.com</u><br><b>Australia: 1800 127 406</b>                  |
| NZ Distributor<br>Emergency Number         | Velocity Vehicle Care NZ Ltd Level 4<br>3 London St, Hamilton, 3204<br>Phone: 0800 483 562 (0800 4 VELOC)<br>Fax: 07 974 9540<br>Email: <u>orders@velocityvehiclecare.com</u><br><b>New Zealand: 0800 243 622</b> |
| Overseas Supplier                          | Zep Inc   |

## **SECTION 2. HAZARDS IDENTIFICATION**

## **Dangerous Goods Classification**

Classified as Non- Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code 7th ed.) for transport by Road and Rail.

Classified as Non- Dangerous Goods under NZS 5433:2012 Transport of Dangerous Goods on Land.

### **GHS Classification**

#### Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) 7th ed.

| Hazard pictograms         |            |
|---------------------------|------------|
| GHS label elements        |            |
| Skin sensitisation        | Category 1 |
| Respiratory sensitisation | Category 1 |
| Skin Irritation           | Category 2 |
| Serious eye damage        | Category 1 |



Signal Word

DANGER



# Safety Data Sheet MEGA FOAM BLUE 2x2.5 GAL

Revised 23 Apr 2021

| Hazard statements        |  |
|--------------------------|--|
|                          | H318 Causes serious eye damage   |
|                          | H315 Causes skin irritation.   |
|                          | H317 May cause an allergic skin reaction.  |
|                          | H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  |
| Precautionary statements | Prevention   |
|                          | P261 Avoid breathing mists and sprays.   |
|                          | P264 Wash skin thoroughly after handling.  |
|                          | P272 Contaminated work clothing should not be allowed out of the workplace.  |
|                          | P280 Wear protective gloves, eye protection and face protection.   |
|                          | P284 In case of inadequate ventilation wear respiratory protection.  |
|                          | Response   |
|                          | P303 + P361 + P353 + P363 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with shower. Wash contaminated clothing before reuse. |
|                          | P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.              |
|                          | P310 Immediately call a doctor or medical centre.  |
|                          | P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.   |
|                          | P342 + P311 If experiencing respiratory symptoms: Call a doctor or medical centre immediately.   |
|                          | Disposal   |
|                          | P501 Dispose of contents & container in accordance with local, regional & national regulations.  |



# Safety Data Sheet MEGA FOAM BLUE 2x2.5 GAL

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

#### Hazardous components

| Chemical name  | CAS-No.    | Concentration [%] |
|--|------------|-------------------|
| Sodium dodecylbenzenesulfonate                       | 25155-30-0 | ≥ 10 - < 20       |
| Sodium xylene sulphonate                             | 1300-72-7  | ≥ 1 - < 3         |
| Sulfuric acid, mono-C10-16-alkyl esters, sodiumsalts | 68585-47-7 | ≥1-<3             |
| Glutaral   | 111-30-8   | ≥1-<3             |
| Benzaldehyde   | 100-52-7   | ≥1-<3             |

The exact percentages of disclosed substances are withheld as trade secrets.

## **SECTION 4. FIRST AID MEASURES**

| General advice   | Move non-essential personnel away from treatment area, spill, or dangerous area.<br>Have this safety data sheet available for emergency/medical responders.  |
|--|--|
| If inhaled   | Remove to fresh air.<br>If casualty is unconscious and not breathing – ensure that there is no obstruction to<br>breathing and give artificial respiration by trained personnel. If necessary, give<br>external cardiac massage and obtain medical assistance. If casualty is unconscious<br>and breathing, place in the recovery position, obtain medical assistance. Administer<br>oxygen if necessary.  |
| In case of skin<br>contact   | Wash off immediately with plenty of water for at least 15 minutes.<br>Remove contaminated clothing and shoes. Wash contaminated clothing before<br>reuse.  |
| In case of eye<br>contact  | Get medical attention if irritation develops and persists.<br>Small amounts splashed into eyes can cause irreversible tissue damage and<br>blindness.<br>Rinse immediately with plenty of water, also under the eyelids, for at least 15<br>minutes. Continue rinsing eyes during transport to hospital.<br>Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.   |
| If swallowed   | Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms develop.  |
|  | Contact the Poison's Information Centre (Australia 131 126; New Zealand 0800 764 766).   |
| Protection of first<br>aiders<br>Notes to physician                  | If potential for exposure exists refer to Section 8 for specific personal protective equipment.<br>Treat Symptomatically.  |
| Most important<br>symptoms and<br>effects, both acute<br>and delayed | Effects are dependent on exposure (dose, concentration, contact time).<br>Effects are immediate and delayed.<br>Eye contact symptoms may include irritation, redness, pain, stinging and watering.<br>Corneal damage can occur without treatment. Respiratory symptoms may include<br>difficulty breathing, coughing, wheezing, throat irritation, and tightness/closure of<br>airway. Skin contact symptoms may include itchiness, redness, rash, dry skin. |



## Safety Data Sheet **MEGA FOAM BLUE 2x2.5 GAL** SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing Use water spray, alcohol-resistant foam, dry chemical or media carbon dioxide. Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media Specific hazards during Not flammable or combustible. May produce toxic fumes, for example, carbon monoxide if burning. firefighting Hazardous combustion Decomposition products may include the following materials: Carbon oxides (carbon dioxide, carbon monoxide) products Sulfur oxides Smoke Firefighters are to wear self-contained breathing apparatus if in risk of **Special protective** exposure to fumes or products of combustion. equipment for firefighters Specific extinguishing Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. In the event of fire and/or explosion do not methods breathe fumes. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions,<br>protective equipment and<br>emergency procedures | Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit, they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in Sections 7 and 8. |
|---|---|
| Environmental precautions   | Do not allow contact with soil. Prevent runoff to waterways, drains, stormwater or sewer.   |
| Methods and materials for<br>containment and cleaning<br>up               | Stop leak if safe to do so. Contain spillage, and then collect with<br>non-combustible absorbent material e.g., sand, earth,<br>diatomaceous earth, vermiculite, and place in container for disposal<br>according to local / national regulations (see Section 13). Flush<br>away traces with water.  |

### SECTION 7. HANDLING AND STORAGE

| Advice on safe handling     | Avoid formation of aerosols. Do not breathe mists, vapours or<br>spray. Provide sufficient air exchange and/or exhaust in work<br>rooms. Avoid exposure - obtain special instructions before use.<br>Avoid contact with skin and eyes. Wash hands thoroughly after<br>handling. Do not get in eyes, on skin, or on clothing.<br>Smoking, eating and drinking should be prohibited in the application<br>area. To avoid spills during handling keep bottle on a metal tray.<br>Dispose of rinse water in accordance with local and national<br>regulations.<br>Persons susceptible to skin sensitisation problems or asthma,<br>allergies, chronic or recurrent respiratory disease should not be<br>employed in any process in which this mixture is being<br>used. |
|-----------------------------|---|
| Conditions for safe storage | Keep container tightly closed in a dry and well-ventilated place.<br>Containers which are opened must be carefully resealed and kept<br>upright to prevent leakage. Observe label precautions.<br>Store away from oxidising agents.   |
| Storage temperature         | 10 - < 50 °C  |



# Safety Data Sheet MEGA FOAM BLUE 2x2.5 GAL

Revised 23 Apr 2021

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Components with workplace control parameters

| Components | CAS-No.  | Value type<br>(Form of<br>exposure) | Control parameters /<br>Permissible concentration                 | Basis  |
|------------|----------|-------------------------------------|---|--------|
| Glutaral   | 111-30-8 | TWA                                 | 0.1 ppm peak limitation<br>0.41 mg/m <sup>3</sup> peak limitation | SWA    |
|            |          | TWA                                 | Ceiling 0.05ppm<br>(0.21mg/m3)                                    | NZ WES |

| Biological<br>occupational<br>exposure limits |         |                       |                     |               |                           |       |
|---|---------|-----------------------|---------------------|---------------|---------------------------|-------|
| Component                                     | CAS-No. | Control<br>parameters | Biological specimen | Sampling time | Permissible concentration | Basis |
| None allocated                                |         |                       |                     |               |                           |       |
|   |         |                       |                     |               |                           |       |

| Engineering measures          | Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.   |
|-------------------------------|--|
| Personal protective equipment |  |
| Respiratory protection        | Avoid breathing mists or sprays. Use respiratory protection unless<br>adequate local exhaust ventilation is provided or exposure assessment<br>demonstrates that exposures are within recommended exposure<br>guidelines. Respirator filter should protect against organic vapours.  |
| Hand protection               | Wear rubber gloves such as nitrile, neoprene or other resistant gloves such as PVC, if contact with skin is expected.  |
| Eye protection                | Tightly fitting safety goggles<br>Wear face-shield and protective suit for abnormal processing problems.   |
| Skin protection               | Impervious clothing<br>Choose body protection according to the amount and concentration<br>of the dangerous substance at the work place.   |
| Hygiene measures              | Handle in accordance with good industrial hygiene and safety<br>practices. Remove and wash contaminated clothing before re-use.<br>Wash face, hands and any exposed skin thoroughly after handling.<br>Provide suitable wash facilities for quick drenching or flushing of<br>the eyes and body in case of contact or splash hazard. |



# Safety Data Sheet MEGA FOAM BLUE 2x2.5 GAL

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Product<br>Liquid              |
|--------------------------------|
| Dark blue                      |
| Characteristic                 |
| No data available              |
| 7 - 8                          |
| No data                        |
| > 100 °C                       |
| >100°                          |
| No data                        |
| 1.02 - 1.07 g/cm3              |
| Soluble in hot and cold water. |
| No data                        |
| No data                        |
| No data                        |
| No data<br>No data             |
|                                |

## SECTION 10. STABILITY AND REACTIVITY

| Chemical stability<br>Possibility of hazardous reactions | Stable under normal conditions.<br>No dangerous reaction known under conditions of normal use. |
|--|--|
| Conditions to avoid                                      | Extremes of temperature and direct sunlight.   |
| Incompatible materials                                   | Oxidising agents   |
| Hazardous decomposition products                         | Decomposition products may include the following materials:<br>carbon oxides<br>sulfur oxides  |



# Safety Data Sheet MEGA FOAM BLUE 2x2.5 GAL

Revised 23 Apr 2021

## SECTION 11. TOXICOLOGICAL INFORMATION

| Potential Health Effects                   |  |
|--|--|
| Information on possible routes of exposure | Possible workplace exposure routes are:<br>Inhalation<br>Eye contact<br>Skin contact   |
| Acute symptoms related<br>to exposure      |  |
| Eye  | Symptoms include redness, pain, tearing, eyelid spasms, blurred vision, chemical conjunctivitis, burns. Risk of permanent eye and/or blindness.                                  |
| Skin                                       | Irritant. Product can cause redness, pain, itching, scaling, dry skin.   |
| Inhalation                                 | Vapour or mist can cause irritation of the nose, throat, and upper respiratory tract. May also cause difficulty breathing, coughing, wheezing and tightness/closure of airway.   |
| Ingestion                                  | Symptoms include gastrointestinal irritation, nausea, vomiting, diarrhoea.   |
| Acute oral toxicity                        | Acute toxicity estimate : 2,010 mg/kg<br>Method: Calculation method<br>Acute toxicity estimate : 50.01 mg/l  |
| Acute inhalation toxicity                  | Exposure time: 4 h<br>Test atmosphere: vapour<br>Method: Calculation method  |
| Acute dermal toxicity                      | Acute toxicity estimate : > 5,000 mg/kg  |
| Skin corrosion/irritation                  | Irritating to skin.  |
| Serious eye damage/eye irritation          | May cause irreversible eye damage  |
| Respiratory or skin sensitisation          | Causes sensitisation.  |
| Germ cell mutagenicity                     | No data available  |
| Carcinogenicity                            | No data available  |
| Reproductive toxicity                      | No data available  |
| STOT - single exposure                     | No data available  |
| STOT - repeated exposure                   | Prolonged and repeated skin contact may lead to dermatitis.  |
| Aspiration toxicity                        | No data available  |
| Components<br>(Ingredients)                |  |
| (Ingredients)<br>Acute oral toxicity       | Sodium dodecylbenzenesulfonate<br>LD50 Rat: 438 mg/kg<br>Sulfuric acid, mono-C10-16-alkyl esters, sodium salts<br>LD50 Rat: 800 - 2,700 mg/kg<br>Glutaral<br>LD50 Rat - 77 mg/kg |
| Acute inhalation toxicity                  | Glutaral<br>LC50 Rat, 4 h exposure 0.28 < LC50 < 0.39 mg/L<br>Sulfuric acid, mono-C10-16-alkyl esters, sodium salts  |
| Acute dermal toxicity                      | LD50 Rabbit: >= 10,000 mg/kg<br>Glutaral<br>LD50 Rat > 2000 mg/kg  |
| Skin corrosion/irritation                  | No data  |
| Serious eye damage/eye irritation          | No data  |



| Version 5.0                       | Safety Data Sheet<br>MEGA FOAM BLUE 2x2.5 GAL  |
|-----------------------------------|--|
| Respiratory or skin sensitisation | Glutaral<br>Skin: sensitiser<br>Respiratory: sensitiser  |
| Germ cell mutagenicity            | Glutaral<br>In vitro studies suggest mutagenicity.<br>In vivo studies – no adverse effects known |
| Carcinogenicity                   | Glutaral – no adverse effect known   |
| Reproductive toxicity             | Glutaral – no adverse effects known  |
| STOT - repeated exposure          | Glutaral – no adverse effects known  |

## SECTION 12. ECOLOGICAL INFORMATION

| Ecotoxicity                    |  |
|--------------------------------|--|
| Toxicity to fish               | no data available  |
| Toxicity to daphnia and        |  |
| other aquatic<br>invertebrates | no data available  |
| Toxicity to algae              | no data available  |
| Components (Ingredients)       |  |
| Toxicity to fish               |  |
| Persistence and                | No data on product. Listed components are either readily biodegradable |
| degradability                  | of partially degradable.   |
| Bioaccumulative potential      | No data available  |
| Partition coefficient: n-      | Glutaral - Pow: 0.36   |
| octanol/water                  | Benzaldehyde - Pow: 1.48   |
| Mobility in soil               | No data available  |

## SECTION 13. DISPOSAL CONSIDERATIONS Disposal methods

| Waste from residues and product. | Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility. If local regulations allow, residues sent to sewer must be diluted, pH neutral and non-foaming. |
|----------------------------------|--|
| Contaminated packaging           | Empty remaining contents. Dispose of as unused product. Do not re-<br>use empty containers. Empty containers should be taken to an<br>approved waste handling site for recycling or disposal.  |

Revised 23 Apr 2021



# Safety Data Sheet MEGA FOAM BLUE 2x2.5 GAL

Revised 23 Apr 2021

## **SECTION 14. TRANSPORT INFORMATION**

#### **Road and Rail Transport**

Classified as non-**Dangerous Goods** by the criteria of the Australian Dangerous Goods Code (ADG Code 7<sup>th</sup> ed.) for Transport by Road and Rail; Classified as non- **Dangerous Goods** according to NZS 5433:2012 Transport of Dangerous Goods on Land.

#### **Marine Transport**

Classified as non-**Dangerous Goods** by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

#### Air Transport

Classified as non-**Dangerous Goods** by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

### SECTION 15. REGULATORY INFORMATION

| AICS                                       | All substances listed  |
|--|--|
| Poisons Schedule                           | S5 (glutaral)  |
| NZ Approval Code                           | Cleaning Products (Subsidiary Hazard) Group Standard 2020  |
|  | The HSNO Approval Number for this Group Standard is HSR002530.   |
| United States TSCA Inventory               | On TSCA Inventory  |
| Canadian Domestic<br>Substances List (DSL) | This product contains one or more components that are listed on the Canadian NDSL. All other components are on the Canadian DSL. |

### **SECTION 16. OTHER INFORMATION**

| AICS   | Australian Inventory of Chemical Substances                             |
|--------|---|
| SWA    | Safe Work Australia   |
| NZ     | New Zealand   |
| IARC   | International Agency for Research on Cancer                             |
| WES    | Workplace Exposure Standards  |
| GHS    | Globally Harmonised System of Classification and Labelling of Chemicals |
| HSNO   | Hazardous Substances and New Organisms                                  |
| EMS    | Emergency Spill Procedures  |
| STOT   | Specific Target Organ Toxicity  |
| TWA    | Time Weighted Average   |
| STEL   | Short-Term Exposure Limit   |
| CAS    | Chemical Abstracts Service  |
| DNEL   | Derived No Effect Level   |
| TSCA   | Toxic Substances Control Act  |
| DSL    | Domestic Substances List  |
| NDSL   | Non-Domestic Substances List  |
| AU OEL | Australian Occupational Exposure Limit                                  |

| Version:       | 5.0           |
|----------------|---------------|
| Revision Date: | 23 Apr 2021   |
| Print Date:    | 27 April 2021 |



# Safety Data Sheet MEGA FOAM BLUE 2x2.5 GAL

Revised 23 Apr 2021

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organisation supporting this manufacturer, supplier or distributor.

1300 990 074 www.velocityvehiclecare.com ©2022 NCS Vehicle Care Inc

