

**SECTION 1. IDENTIFICATION**

Product Name **Mega Foam White 2x2.5 Gal**  
Material number **14470-WD1**

**Recommended use of the chemical and restrictions on use**

Recommended use Specialty Cleaner and Remover

Australian Distributor Velocity Vehicle Care Pty Ltd  
10 Holmwood Rd, Tottenham, VIC, 3012  
Ph: 1300 990 074  
Fax: 03 8669 4179  
Email: [orders@velocityvehiclecare.com](mailto:orders@velocityvehiclecare.com)  
Emergency Number **Australia: 1800 127 406**

NZ Distributor Velocity Vehicle Care NZ Ltd Level 4  
3 London St, Hamilton, 3204  
Phone: 0800 483 562 (0800 4 VELOC)  
Fax: 07 974 9540  
Email: [orders@velocityvehiclecare.com](mailto:orders@velocityvehiclecare.com)  
Emergency Number **New Zealand: 0800 243 622**

Overseas Supplier Zep Inc

**SECTION 2. HAZARDS IDENTIFICATION**

**Dangerous Goods Classification**

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code 7th ed.) for transport by Road and Rail.

Classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.

**GHS Classification**

**Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) 7th ed.**

Skin corrosion Category 1B  
Serious eye damage Category 1  
Respiratory sensitisation Category 1  
Skin sensitisation Category 1

**GHS label elements**

**Hazard pictograms**



**Signal Word**

**DANGER**

Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements

**Prevention**

P260 Do not breathe mists and sprays.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P284 In case of inadequate ventilation wear respiratory protection.

**Response**

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 Immediately call for medical assistance.

P303 + P361 + P353 + P363 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with shower. Wash contaminated clothing before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P342 + P311 If experiencing respiratory symptoms: Call a doctor or medical centre immediately.

**Storage**

P405 Store locked up.

**Disposal**

P501 Dispose of contents & container in accordance with local, regional & national regulations.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture                      Mixture

**Hazardous components**

| Chemical name  | CAS-No.    | Concentration [%] |
|--|------------|-------------------|
| Benzenesulfonic acid, C10-16-alkyl derivs.           | 68584-22-5 | >= 10 - < 20      |
| Sodium xylene sulphonate                             | 1300-72-7  | >= 1 - < 5        |
| Sulfuric acid, mono-C10-16-alkyl esters, sodiumsalts | 68585-47-7 | >= 1 - < 5        |
| Glutaral   | 111-30-8   | >= 1 - < 5        |
| Benzaldehyde   | 100-52-7   | >= 1 - < 5        |

The exact percentages of disclosed substances are withheld as trade secrets.

**SECTION 4. FIRST AID MEASURES****General advice**

Move non-essential personnel away from treatment area, spill, or dangerous area.  
Have this safety data sheet available for emergency/medical responders.

**If inhaled**

Remove to fresh air.  
If casualty is unconscious and not breathing – ensure that there is no obstruction to breathing and give artificial respiration by trained personnel. If necessary, give external cardiac massage and obtain medical assistance. If casualty is unconscious and breathing, place in the recovery position, obtain medical assistance. Administer oxygen if necessary.

**In case of skin contact**

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.  
Remove contaminated clothing and shoes. Wash contaminated clothing before reuse.

**In case of eye contact**

If symptoms persist after treatment, get further medical assistance.  
Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Continue rinsing eyes during transport to hospital.

**If swallowed**

Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.  
Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms develop.

Contact the Poison's Information Centre (Australia 131 126; New Zealand 0800 764 766).

**Protection of first aiders  
Notes to physician**

If potential for exposure exists refer to Section 8 for specific personal protective equipment.  
Treat Symptomatically.

**Most important symptoms and effects, both acute and delayed**

Effects are dependent on exposure (dose, concentration, contact time).  
Effects are immediate and delayed.  
Eye contact symptoms may include irritation, redness, pain, stinging and watering. Corneal damage can occur without treatment. Respiratory symptoms may include difficulty breathing, coughing, wheezing, throat irritation, and tightness/closure of airway. Skin contact symptoms may include blistering, irritation, burns, redness and pain.

**SECTION 5. FIREFIGHTING MEASURES**

|  |  |
|--|--|
| <b>Suitable extinguishing media</b>                  | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.   |
| <b>Unsuitable extinguishing media</b>                | Do not use water jet as an extinguisher, as this will spread the fire.   |
| <b>Specific hazards during firefighting</b>          | Not flammable or combustible. May produce toxic fumes, for example, carbon monoxide if burning.  |
| <b>Hazardous combustion products</b>                 | Decomposition products may include the following materials:<br>Carbon oxides (carbon dioxide, carbon monoxide)<br>Sulfur oxides<br>Smoke   |
| <b>Special protective equipment for firefighters</b> | Firefighters are to wear self-contained breathing apparatus if in risk of exposure to fumes or products of combustion.   |
| <b>Specific extinguishing methods</b>                | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. In the event of fire and/or explosion do not breathe fumes. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

|  |  |
|--|--|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit, they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in Sections 7 and 8.                                      |
| <b>Environmental precautions</b>   | Do not allow contact with soil. Prevent runoff to waterways, drains, stormwater or sewer.  |
| <b>Methods and materials for containment and cleaning up</b>               | Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material e.g., sand, earth, diatomaceous earth, vermiculite, and place in container for disposal according to local / national regulations (see Section 13). Flush away traces with water. For large spills (>5L), dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. |

**SECTION 7. HANDLING AND STORAGE**

|                                    |  |
|------------------------------------|--|
| <b>Advice on safe handling</b>     | Avoid formation of aerosols. Do not breathe mists, vapours or spray. Provide sufficient air exchange and/or exhaust in work rooms. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.<br>Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. |
| <b>Conditions for safe storage</b> | Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Store away from oxidizing agents and alkalis.   |
| <b>Storage temperature</b>         | 10 - 50 °C   |

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Components with workplace control parameters

| Components | CAS-No.  | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration                 | Basis  |
|------------|----------|----------------------------------|---|--------|
| Glutaral   | 111-30-8 | TWA                              | 0.1 ppm peak limitation<br>0.41 mg/m <sup>3</sup> peak limitation | SWA    |
|            |          | TWA                              | Ceiling 0.05ppm<br>(0.21mg/m3)                                    | NZ WES |

| <b>Biological occupational exposure limits</b> |         |                    |                     |               |                           |       |
|--|---------|--------------------|---------------------|---------------|---------------------------|-------|
| Component                                      | CAS-No. | Control parameters | Biological specimen | Sampling time | Permissible concentration | Basis |
| <b>None allocated</b>                          |         |                    |                     |               |                           |       |
|  |         |                    |                     |               |                           |       |

**Engineering measures**

Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

**Personal protective equipment**

**Respiratory protection**

Avoid breathing mists or sprays. Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator filter should protect against organic vapours.

**Hand protection**

Wear rubber gloves such as nitrile, neoprene or other resistant gloves such as PVC, if contact with skin is expected.

**Eye protection**

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing problems.

**Skin protection**

Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

**Hygiene measures**

Handle in accordance with good industrial hygiene and safety practices. Remove and wash contaminated clothing before re-use.

Wash face, hands and any exposed skin thoroughly after handling.

Provide suitable wash facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

|  | <b>Product</b>                 |
|--|--------------------------------|
| Appearance                             | Liquid                         |
| Colour                                 | Colourless                     |
| Odour                                  | Odourless                      |
| Odour threshold                        | N/A                            |
| pH                                     | 6.5-7.5                        |
| Melting point/freezing point           | No data                        |
| Boiling point                          | No data                        |
| Flash point                            | >100°                          |
| Evaporation rate                       | No data                        |
| Upper explosion limit                  | No data                        |
| Lower explosion limit                  | No data                        |
| Vapour pressure                        | No data                        |
| Relative vapour density                | No data                        |
| Density                                | 1.025 - 1.07 g/cm <sup>3</sup> |
| Water solubility                       | No data                        |
| Solubility in other solvents           | No data                        |
| Partition coefficient: n-octanol/water | No data                        |
| Auto-ignition temperature              | No data                        |
| Thermal decomposition                  | No data                        |
| Viscosity, kinematic                   | No data                        |

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |   |
|------------------------------------|---|
| Chemical stability                 | Stable under normal conditions.   |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use.   |
| Conditions to avoid                | Extremes of temperature.  |
| Incompatible materials             | Oxidizing agents, Alkalis.<br>This product contains sodium hydroxide or potassium hydroxide that may corrode some soft metals and may react with tin, zinc, aluminium to form hydrogen gas. |
| Hazardous decomposition products   | Decomposition products may include the following materials:<br>carbon oxides<br>sulfur oxides.  |

**SECTION 11. TOXICOLOGICAL INFORMATION**

**Potential Health Effects**

|   |  |
|---|--|
| <b>Information on possible routes of exposure</b> | Possible workplace exposure routes are:<br>Inhalation<br>Eye contact<br>Skin contact   |
| <b>Acute symptoms related to exposure</b>         |  |
| Eye   | Symptoms include redness, pain, tearing, eyelid spasms, blurred vision, chemical conjunctivitis, burns. Risk of permanent eye and/or blindness.                                |
| Skin  | Corrosive. Product can cause redness, pain, itching, scaling, occasional blistering, and severe skin burns.  |
| Inhalation  | Vapour or mist can cause irritation of the nose, throat, and upper respiratory tract. May also cause difficulty breathing, coughing, wheezing and tightness/closure of airway. |
| Ingestion   | Burns to the mouth, throat and stomach. Symptoms include difficulty swallowing, severe gastrointestinal irritation, nausea, vomiting, diarrhoea, severe abdominal pains.       |
| Acute oral toxicity                               | Acute toxicity estimate : 2,219 mg/kg<br>Method: Calculation method  |
| Acute inhalation toxicity                         | Acute toxicity estimate : 50.01 mg/l<br>Exposure time: 4 h<br>Test atmosphere: vapour<br>Method: Calculation method  |
| Acute dermal toxicity                             | Acute toxicity estimate : > 5,000 mg/kg  |
| Skin corrosion/irritation                         | Extremely corrosive and destructive to tissue  |
| Serious eye damage/eye irritation                 | May cause irreversible eye damage  |
| Respiratory or skin sensitisation                 | Causes sensitisation.  |
| Germ cell mutagenicity                            | No data available  |
| Carcinogenicity                                   | No data available  |
| Reproductive toxicity                             | No data available  |
| STOT - single exposure                            | No data available  |
| STOT - repeated exposure                          | No data available  |
| Aspiration toxicity                               | No data available  |
| <b>Components (Ingredients)</b>                   |  |
| Acute oral toxicity                               | Sulfuric acid, mono-C10-16-alkyl esters, sodium salts<br>LD50 Rat: 800 - 2,700 mg/kg<br>Glutaral<br>LD50 Rat - 77 mg/kg  |
| Acute inhalation toxicity                         | Glutaral<br>LC50 Rat, 4 h exposure 0.28 < LC50 < 0.39 mg/L<br>Sulfuric acid, mono-C10-16-alkyl esters, sodium salts  |
| Acute dermal toxicity                             | LD50 Rabbit: >= 10,000 mg/kg<br>Glutaral<br>LD50 Rat > 2000 mg/kg  |
| Skin corrosion/irritation                         | No data  |
| Serious eye damage/eye irritation                 | No data  |

Version 3.0

**Safety Data Sheet  
Mega Foam White**

Revised 23 Apr 2021

|                                   |  |
|-----------------------------------|--|
| Respiratory or skin sensitisation | Glutaral<br>Skin: sensitiser<br>Respiratory: sensitiser  |
| Germ cell mutagenicity            | Glutaral<br>In vitro studies suggest mutagenicity.<br>In vivo studies – no adverse effects known |
| Carcinogenicity                   | Glutaral – no adverse effect known   |
| Reproductive toxicity             | Glutaral – no adverse effects known  |
| STOT - repeated exposure          | Glutaral – no adverse effects known  |

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Toxicity to fish** no data available

**Toxicity to daphnia and other aquatic invertebrates** no data available

**Toxicity to algae** no data available

**Components (Ingredients)**

**Toxicity to fish**

**Persistence and degradability** No data on product. Listed components are either readily biodegradable or partially degradable.

**Bioaccumulative potential** No data available

**Partition coefficient: n-octanol/water** Glutaral - Pow: 0.36  
Benzaldehyde - Pow: 1.48

**Mobility in soil** No data available

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

|                                  |  |
|----------------------------------|--|
| Waste from residues and product. | Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility. If local regulations allow, residues sent to sewer must be diluted, pH neutral and non-foaming. |
| Contaminated packaging           | Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.   |



**SECTION 14. TRANSPORT INFORMATION****Road and Rail Transport**

Classified as **Dangerous Goods** by the criteria of the Australian Dangerous Goods Code (ADG Code 7<sup>th</sup> ed.) for Transport by Road and Rail; Classified as **Dangerous Goods** according to NZS 5433:2012 Transport of Dangerous Goods on Land.

**Land transport (ADG)**

|               |   |
|---------------|---|
| UN number     | 1760  |
| Shipping name | Corrosive Liquid N.O.S (Contains Benzenesulfonic acid, C10-16-alkyl derivs) |
| Class         | 8   |
| Packing group | III   |
| Hazchem Code  | 2X  |

**Marine Transport**

Classified as **Dangerous Goods** by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

**Marine transport (IMDG/IMO)**

|                  |   |
|------------------|---|
| UN number        | 1760  |
| Shipping name    | Corrosive Liquid N.O.S (Contains Benzenesulfonic acid, C10-16-alkyl derivs) |
| Class            | 8   |
| Packing group    | III   |
| Marine pollutant | No  |

**Air Transport**

Classified as **Dangerous Goods** by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

**Air transport (IATA)**

|               |   |
|---------------|---|
| UN number     | 1760  |
| Shipping name | Corrosive Liquid N.O.S (Contains Benzenesulfonic acid, C10-16-alkyl derivs) |
| Class         | 8   |
| Packing group | III   |

**SECTION 15. REGULATORY INFORMATION**

|   |  |
|---|--|
| AICS                                    | All substances listed  |
| Poisons Schedule                        | S5 (glutaral)  |
| NZ Approval Code                        | Cleaning Products (Corrosive) Group Standard 2020<br>The HSNO Approval Number for this Group Standard is HSR002526.              |
| United States TSCA Inventory            | On TSCA Inventory  |
| Canadian Domestic Substances List (DSL) | This product contains one or more components that are listed on the Canadian NDSL. All other components are on the Canadian DSL. |

**SECTION 16. OTHER INFORMATION**

|               |  |
|---------------|--|
| <b>AICS</b>   | <b>Australian Inventory of Chemical Substances</b>                             |
| <b>SWA</b>    | <b>Safe Work Australia</b>   |
| <b>NZ</b>     | <b>New Zealand</b>   |
| <b>IARC</b>   | <b>International Agency for Research on Cancer</b>                             |
| <b>WES</b>    | <b>Workplace Exposure Standards</b>  |
| <b>GHS</b>    | <b>Globally Harmonised System of Classification and Labelling of Chemicals</b> |
| <b>HSNO</b>   | <b>Hazardous Substances and New Organisms</b>                                  |
| <b>EMS</b>    | <b>Emergency Spill Procedures</b>  |
| <b>STOT</b>   | <b>Specific Target Organ Toxicity</b>  |
| <b>TWA</b>    | <b>Time Weighted Average</b>   |
| <b>STEL</b>   | <b>Short-Term Exposure Limit</b>   |
| <b>CAS</b>    | <b>Chemical Abstracts Service</b>  |
| <b>DNEL</b>   | <b>Derived No Effect Level</b>   |
| <b>TSCA</b>   | <b>Toxic Substances Control Act</b>  |
| <b>DSL</b>    | <b>Domestic Substances List</b>  |
| <b>NDSL</b>   | <b>Non-Domestic Substances List</b>  |
| <b>AU OEL</b> | <b>Australian Occupational Exposure Limit</b>                                  |

|                |               |
|----------------|---------------|
| Version:       | 3.0           |
| Revision Date: | 23 Apr 2021   |
| Print Date:    | 27 April 2021 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organisation supporting this manufacturer, supplier or distributor.