

Version 2.0 Safety Data Sheet Revised 24 May 2021
AAP AHS CONDITIONER BLUE

# **SECTION 1. IDENTIFICATION**

Product Name AAP AHS CONDITIONER BLUE

Material number V21235

Recommended use of the chemical and restrictions on use

Recommended use Vehicle care – carwash detergent

Australian Distributor Velocity Vehicle Care Pty Ltd

10 Holmwood Rd, Tottenham, VIC, 3012

Ph: 1300 990 074 Fax: 03 8669 4179

Email: orders@velocityvehiclecare.com

Emergency Number Australia: 1800 127 406

NZ Distributor Velocity Vehicle Care NZ Ltd Level 4

3 London St, Hamilton, 3204

Phone: 0800 483 562 (0800 4 VELOC)

Fax: 07 974 9540

Email: orders@velocityvehiclecare.com

Emergency Number New Zealand: 0800 243 622

Overseas Supplier Zep Inc

## **SECTION 2. HAZARDS IDENTIFICATION**

## **Dangerous Goods Classification**

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code 7th ed.) for transport by Road and Rail.

Classified as a Dangerous Good under NZS 5433:2012 Transport of Dangerous Goods on Land.

### **GHS Classification**

Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) 7th ed.

Skin corrosion Category 1B
Serious eye damage Category 1

**GHS** label elements

**Hazard pictograms** 



Signal Word DANGER



# Safety Data Sheet AAP AHS CONDITIONER BLUE

Revised 24 May 2021

Hazard statements H314 Causes severe skin burns and eye damage.

Precautionary statements

#### Prevention

P260 Do not breathe mists.

P264 Wash exposed skin thoroughly after handling.

P280 Wear protective gloves, protective clothing, eye protection & face protection.

#### Response

P301 + P330 + P331 **IF SWALLOWED**: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303 + P361 + P353 **IF ON SKIN (or hair)**: Take off immediately all contaminated clothing. Rinse skin with shower.

P304 + P340 **IF INHALED**: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a doctor

P363 Wash contaminated clothing before reuse.

#### **Storage**

P405 Store locked up.

## **Disposal**

P501 Dispose of contents & container in accordance with local, regional & national Regulations.



# Safety Data Sheet AAP AHS CONDITIONER BLUE

Revised 24 May 2021

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

## **Hazardous components**

Chemical name	CAS-No.	Concentration [%]
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	≥ 10 - < 20
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	≥ 1 - < 5
(2-methoxymethylethoxy)propanol (Mixture of isomers)	34590-94-8	≥ 1 - < 5
Amines, tallow alkyl, ethoxylated	61791-26-2	≥1-<5
Ethanol	64-17-5	≥1-<5
Citric acid	77-92-9	≥ 1 - < 5

The exact percentages of disclosed substances are withheld as trade secrets.

# **SECTION 4. FIRST AID MEASURES**

General advice	Move non-essential personnel away from treatment area, spill, or dangerous area. Have this safety data sheet available for emergency/medical responders.		
If inhaled In case of skin contact	Remove to fresh air. Treat symptomatically. If symptoms persist, call a physician. If unconscious place in recovery position and seek immediate medical attention. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse.		
In case of eye contact  If swallowed	Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If symptoms persist after medical treatment, consult a specialist. Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms develop. Contact the Poison's Information Centre (Australia 131 126; New Zealand 0800 764 766).		
Protection of first aiders Notes to physician	If potential for exposure exists refer to Section 8 for specific personal protective equipment.  Treat Symptomatically.		
Most important symptoms and effects, both acute and delayed	See Section 11 for more detailed information on health effects and symptoms.		



## Safety Data Sheet AAP AHS CONDITIONER BLUE

Revised 24 May 2021

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing Dry chemical

Alcohol-resistant foam media Carbon dioxide (CO2)

Water spray

Unsuitable extinguishing

media

Do not use high volume water jets as an extinguisher, as this will

spread the fire.

Specific hazards during

**Hazardous combustion** 

firefighting

products

Not flammable or combustible. May produce toxic fumes. Decomposition products may include the following materials:

Carbon dioxide (CO2)

Carbon monoxide

Smoke

Nitrogen oxides (NOx)

Special protective equipment for firefighters

Firefighters are to wear self-contained breathing apparatus if in risk of

exposure to fumes or products of combustion.

Specific extinguishing

methods

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. In the event of fire and/or explosion do not breathe fumes. Fire residues and contaminated fire extinguishing water

must be disposed of in accordance with local regulations.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit, they must use appropriate certified respirators. Ensure cleanup is conducted by trained personnel only. Refer to protective

measures listed in Sections 7 and 8.

**Environmental precautions** Do not allow contact with soil. Prevent runoff to waterways, drains,

stormwater or sewer.

Methods and materials for containment and cleaning

up

Stop leak if safe to do so. Contain spillage, Neutralise with chalk or a weak alkali solution and then collect with non-combustible absorbent material e.g., sand, earth, diatomaceous earth,

vermiculite, and place in container for disposal according to local / national regulations (see Section 13). Flush away traces with water. For large spills (>5L), dike spilled material or otherwise contain

material to ensure runoff does not reach a waterway.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling Avoid formation of aerosols. Do not breathe vapours or mists.

> Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the

application area.

Provide sufficient air exchange and/or exhaust in work rooms. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated

place. Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions. Keep away from oxidizing agents and strongly acid or alkaline

materials.



## **Safety Data Sheet** AAP AHS CONDITIONER BLUE

Revised 24 May 2021

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
(2-Methoxy methylethoxy)propanol (Mixture of isomers) aka Dipropylene glycol methyl ether	34590-94-8	TWA	50 ppm 308 mg/m <sup>3</sup>	SWA
		TWA	100 ppm 606 mg/m <sup>3</sup>	NZ WES
		STEL	150 ppm 909 mg/m <sup>3</sup>	NZ WES
Ethanol	64-17-5	TWA	1000 ppm 1880 mg/m <sup>3</sup>	SWA
		TWA	1000 ppm 1880 mg/m <sup>3</sup>	NZ WES
Sulfuric acid (component of benzenesulfonic acid, C10-16-alkyl derivs)	7664-93-9	TWA	1 mg/m <sup>3</sup>	SWA
·		STEL	3 mg/m <sup>3</sup>	SWA
		TWA	1 mg/m <sup>3</sup>	NZ WES

**Biological occupational** 

exposure limits

**Engineering measures** 

None allocated

Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

Personal protective

equipment

Respiratory protection

Avoid breathing mists or sprays. If working in a poorly ventilated area and exposure limits may be exceeded, wear a respirator with ABEK-P2 filter to

protect against organic vapours and acidic mists...

**Hand protection** Wear chemical resistant gloves such as nitrile, neoprene, natural rubber

and PVC.

Eye protection Safety glasses with side-shields, face shield. Skin protection Wear protective clothing and footwear.

Hygiene measures Handle in accordance with good industrial hygiene and safety

practices. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable wash facilities for quick drenching or flushing of the

eyes and body in case of contact or splash hazard.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Product** 

Appearance liquid

Colour clear, dark blue

Odour slight

Odour threshold No data available

0-1 рН

Melting point/freezing point No data available

> 100 °C Boiling point > 100 °C Flash point



AAP AHS CONDITIONER BLUE

Evaporation rate no data

Upper explosion limit no data

Lower explosion limit no data

Vapour pressure no data

Relative vapour density no data

Density Approximately 1

Water solubility

Soluble

Solublity in other solvents

Partition coefficient: n
soluble

no data

octanol/water

Auto-ignition temperature no data
Thermal decomposition no data

Viscosity, kinematic

## **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions No decomposition if stored and applied as directed.

Conditions to avoid Avoid excessive heat and direct sunlight.

Incompatible materials Oxidising agents

Hazardous decomposition

products

Decomposition products may include the following materials:

Sulfur dioxide

Carbon dioxide (CO2)
Carbon monoxide
Metal oxides

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Potential Health Effects**

Information on possible routes of exposure

Acute symptoms related to exposure

Eye

Possible workplace exposure routes are: inhalation, skin, eyes

The material can produce chemical burns to the eye and damage to the

cornea following direct contact

Vapours or mists may be extremely irritating. Symptoms may include

burning, watering of the eye, cloudiness, pain, or redness.

Skin The material can produce chemical burns following direct contact

with the skin. Contact can also cause skin redness and pain, as well as a rash. Cracking, scaling and blistering can occur.

Inhalation The material can cause respiratory irritation.

Inhalation of aerosols (mists, fumes) can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. There may be dizziness, headache, nausea and

weakness.



AAP AHS CONDITIONER BLUE

Ingestion The material can produce chemical burns within the oral cavity

and gastrointestinal tract following ingestion.

Ingestion may produce diarrhoea, bloated stomach, and

occasional vomiting.

Method: Calculation method
Acute toxicity estimate: > 40 mg/

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Method: Calculation method

Skin corrosion/irritation Extremely corrosive and destructive to tissue.

Serious eye damage/eye May cause irreversible eye damage.

irritation

Respiratory or skin

sensitisation

skin no data available

Germ cell mutagenicity no data available
Carcinogenicity no data available
Reproductive toxicity no data available
STOT - single exposure no data available
STOT - repeated exposure no data available
Aspiration toxicity no data available

Components (Ingredients)

Acute oral toxicity Ethanol

LD50 Rat: 7,060 mg/kg

Citric acid

LD50 I Rat: 5,400 mg/kg

Acute inhalation toxicity Ethanol

LC50 Rat: 124.7 mg/l Exposure time: 4 h

Acute dermal toxicity Citric acid

LD50 Rabbit: > 2,000 mg/kg

Skin corrosion/irritation no data available

Serious eye damage/eye

irritation

no data available

Respiratory or skin

sensitisation

no data available

Germ cell mutagenicity no data available
Carcinogenicity no data available
Reproductive toxicity no data available

STOT - repeated exposure no data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** No data

Toxicity to fish no data available
Toxicity to daphnia and no data available

other aquatic invertebrates



AAP AHS CONDITIONER BLUE

Toxicity to algae no data available

**Components (Ingredients)** 

Toxicity to fish Benzenesulfonic acid, C10-16-alkyl derivs

EC50 1-<10mg/L

Persistence and No data on product.

**degradability** Organic components are biodegradable.

Bioaccumulative potential No data available
Partition coefficient: n- No data available

octanol/water

Mobility in soil Soluble in water.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Waste from residues Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility. Where local regulations allow, dilute pH-adjusted wastes may be sent to

sewer.

Contaminated packaging Empty remaining contents. Containers must remain labelled until all

traces and residues have been removed. Dispose of as unused product. Do not re-use empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **Road and Rail Transport**

Classified as **Dangerous Goods** by the criteria of the Australian Dangerous Goods Code (ADG Code 7<sup>th</sup> ed.) for Transport by Road and Rail; Classified as **Dangerous Goods** according to NZS 5433:2012 Transport of Dangerous Goods on Land.

Land transport (ADG)

UN number UN 2586

Shipping name ALKYLSULPHONIC ACIDS, LIQUID

with not more than 5% free sulfuric

acid

Class 8
Packing group III
Hazchem Code 2X

**Marine Transport** 

Classified as **Dangerous Goods** by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Marine transport (IMDG/IMO)

ÙN number UN 2586

Shipping name ALKYLSULPHONIC ACIDS, LIQUID

with not more than 5% free sulfuric

acid

Class 8
Packing group III
Marine pollutant No
EMS Code F-A, S-B



AAP AHS CONDITIONER BLUE

**Air Transport** 

Classified as **Dangerous Goods** by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Air transport (IATA)

UN number UN 2586

Shipping name ALKYLSULPHONIC ACIDS, LIQUID

with not more than 5% free sulfuric

acid

Class 8 Packing group III

#### **SECTION 15. REGULATORY INFORMATION**

AICS All substances listed Poisons Schedule Not scheduled

NZ Approval Code Cleaning Products (Corrosive) Group Standard 2020

The HSNO Approval Number is HSR002526

United States TSCA Inventory On TSCA Inventory

Canadian Domestic This product contains the following components listed on the Substances List (DSL) Canadian NDSL. All other components are on the Canadian DSL.

# **SECTION 16. OTHER INFORMATION**

AICS Australian Inventory of Chemical Substances

SWA Safe Work Australia

NZ New Zealand

IARC International Agency for Research on Cancer

WES Workplace Exposure Standards

GHS Globally Harmonised System of Classification and Labelling of Chemicals

**HSNO** Hazardous Substances and New Organisms

EMS Emergency Spill Procedures
STOT Specific Target Organ Toxicity
TWA Time Weighted Average
STEL Short-Term Exposure Limit
CAS Chemical Abstracts Service
DNEL Derived No Effect Level

TSCA Toxic Substances Control Act
DSL Domestic Substances List
NDSL Non-Domestic Substances List

AU OEL Australian Occupational Exposure Limit

Version:	2.0
Revision Date:	24 May 2021
Print Date:	31 May 2021

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organisation supporting this manufacturer, supplier or distributor.

